RC COLORADO

RC Colorado Service/Warranty Booklet

This supplement provides warranty information and service schedule including coupons for RC Colorado series models.

This supplement should be kept, together with the Owner's Handbook, in the glovebox of your vehicle.

Vehicle identification certificate

Owner's name

Owner's address

Town State Postcode

Vehicle Identification Number (17 character ISOVIN)

Model name

Tyre size fitted Wheel size fitted

Registration number Engine number

Odometer reading

Date of purchase

Selling retailer's stamp and signature

GM Holden Ltd, ABN 84 006 893 232 (hereinafter Holden)

Change of name, address or ownership

In the event of a Safety Recall, or for various reasons, Holden may need to contact you as the owner of this vehicle.

If you have recently changed your address, or name, or purchased this vehicle second-hand, please help us to help you by taking a few minutes to fill in and mail the forms at the beginning of this handbook.

For information about GM Holden's privacy policy or to update owner details online, please visit Holden's website at www.holden.com.au

Printed in Australia
Part No. 92253124
August 2011 (MY11 RC Colorado petrol, LPG and diesel engines. Print 4)

© 2011 GM Holden Ltd
Reproduction in whole or part is prohibited without written approval from GM Holden Ltd, ABN 84 006 893 232

Petrol, LPG* & diesel engines

Page

Change of address or ownership forms

Vehicle warranty information 1

Servicing.....9

Determining service intervals 10

Service intervals 11

Maintenance schedule.....12

Service charges.....20

Additional service requirements 21

Service coupons.....27

* The asterisk signifies equipment options not in all vehicles; model variants, engine options, optional equipment and Genuine Holden Accessories (and Parts).

CHANGE OF ADDRESS OR OWNERSHIP

Please fill in the form below if you have changed your name, address, bought the vehicle second-hand, or have become the new driver.

Holden requires these details in order to contact the operator in the event of a safety recall and to keep the Roadside Assistance details up to date. For information about Holden's privacy policy or to update owner details online, please visit Holden's website at www.holden.com.au.

Please mail to the address on the back of this page.

Please tick the appropriate box

☐ Original owner ☐ Subsequent owner

Please tell us where you purchased your Holden

☐ Government auction ☐ Private sale ☐ Other

☐ Dealership (please specify) _____

Title
(Mr, Mrs, Miss, Ms, etc.)

First name in full or initials

Surname or name of company/institution/government department

Address

Street/box

City/town

State Postcode

1st contact phone no.

2nd contact phone no.

Email address

Vehicle registration no.

Holden no. (*refer to chapter 8)

ISOVIN no. (refer to chapter 8 in your Owner Handbook)

Place in an envelope and mail to:

The Manager – Warranty Administration,
Service Department,
GM Holden Ltd.
Box 548, G.P.O.
Melbourne,
Victoria 3001,
Australia.

CHANGE OF ADDRESS OR OWNERSHIP

Please fill in the form below if you have changed your name, address, bought the vehicle second-hand, or have become the new driver.

Holden requires these details in order to contact the operator in the event of a safety recall and to keep the Roadside Assistance details up to date. For information about Holden's privacy policy or to update owner details online, please visit Holden's website at www.holden.com.au.

Please mail to the address on the back of this page.

Please tick the appropriate box

☐ Original owner ☐ Subsequent owner

Please tell us where you purchased your Holden

☐ Government auction ☐ Private sale ☐ Other

☐ Dealership (please specify) _____

Title
(Mr, Mrs, Miss, Ms, etc.)

First name in full or initials

Surname or name of company/institution/government department

Address

Street/box

City/town

State Postcode

1st contact phone no.

2nd contact phone no.

Email address

Vehicle registration no.

Holden no. (*refer to chapter 8)

ISOVIN no. (refer to chapter 8 in your Owner Handbook)

Place in an envelope and mail to:

The Manager – Warranty Administration,
Service Department,
GM Holden Ltd.
Box 548, G.P.O.
Melbourne,
Victoria 3001,
Australia.

CHANGE OF ADDRESS OR OWNERSHIP

Please fill in the form below if you have changed your name, address, bought the vehicle second-hand, or have become the new driver.

Holden requires these details in order to contact the operator in the event of a safety recall and to keep the Roadside Assistance details up to date. For information about Holden's privacy policy or to update owner details online, please visit Holden's website at www.holden.com.au.

Please mail to the address on the back of this page.

Please tick the appropriate box

☐ Original owner ☐ Subsequent owner

Please tell us where you purchased your Holden

☐ Government auction ☐ Private sale ☐ Other

☐ Dealership (please specify) _____

Title
(Mr, Mrs, Miss, Ms, etc.)

First name in full or initials

Surname or name of company/institution/government department

Address

Street/box

City/town

State Postcode

1st contact phone no.

2nd contact phone no.

Email address

Vehicle registration no.

Holden no. (*refer to chapter 8)

ISOVIN no. (refer to chapter 8 in your Owner Handbook)

Place in an envelope and mail to:

The Manager – Warranty Administration,
Service Department,
GM Holden Ltd.
Box 548, G.P.O.
Melbourne,
Victoria 3001,
Australia.

NEW VEHICLE VOLUNTARY WARRANTY CERTIFICATE



New Vehicle Voluntary Warranty Application

This Voluntary Warranty is given by GM Holden Ltd., ABN 84 006 893 232, ('Holden') 191 Salmon St, Port Melbourne Victoria 3207. Holden Customer Assistance, Australia: 1800 033 349, New Zealand: 0800 465 336. The Voluntary Warranty applies to the vehicle identified on the inside front cover of this service booklet. It is provided to the original and subsequent owners/operators driving the vehicle within Australia during the Voluntary Warranty Period.

This benefits conferred by this Voluntary Warranty are in addition to other rights and remedies available to you under consumer protection laws (including those under the *Competition and Consumer Act 2010)*, which cannot be excluded or limited (referred to as Statutory Rights). This Voluntary Warranty in no way limit or restrict your rights or remedies under such Statutory Rights.

Australian vehicles

This Voluntary Warranty is only applicable to vehicles purchased and operated in Australia.

This Voluntary Warranty does not apply for Holden vehicles exported or operated outside Australia. Similarly, this Voluntary Warranty is not provided for Holden vehicles purchased overseas and imported into Australia.

New Zealand vehicles

This Voluntary Warranty is only applicable to vehicles purchased and operated in New Zealand. However, this Voluntary Warranty will not apply for Holden vehicles exported and operated outside of New Zealand or for Holden vehicles purchased outside of New Zealand and imported into New Zealand.

Voluntary Warranty repairs covered

Subject to your non-excludable Statutory Rights and the exclusions shown on the following page, this Voluntary Warranty covers the correction, of any manufacturing defect to materials or Holden workmanship and advised to a Holden Dealer or Authorised Service Outlet, by repair or at Holden's option by replacement.

Voluntary Warranty period

The coverage under this Voluntary Warranty commences from the date of first registration (or in the case of a demonstrator vehicle the date when the vehicle was first placed into service by the Dealer). This coverage expires at the end of the period of 3 years after the commencement date or after the vehicle has travelled 100,000 kilometres, whichever occurs first.

NEW VEHICLE VOLUNTARY WARRANTY CERTIFICATE cont.

No charge

Warranty work performed under this Voluntary Warranty (including parts and labour) will be carried out at no cost to the vehicle owner. However, this work should not be confused with servicing specified in the Maintenance schedule in this service booklet for which a charge is payable.

Statutory Rights

Our goods come with guarantees that cannot be excluded under the Australian Consumer Law. You are entitled to replacement or refund for a major failure and compensation for any other reasonably foreseeable loss or damage. You are also entitled to have the goods repaired or replaced if the goods fail to be of acceptable quality and the failure does not amount to a major failure.

NEW VEHICLE VOLUNTARY WARRANTY CERTIFICATE cont.

VOLUNTARY WARRANTY EXCLUSIONS



Damage

Your Voluntary Warranty does not extend to the following damage: damage caused by an accident, fire, theft or moving objects striking the vehicle (including inside the vehicle); damage as a result of towing; damage caused by industrial fallout, chemicals or sealants; damage caused by atmospheric fallout or flood, hail, salt, etc.



Maintenance items

Your Voluntary Warranty does not extend to services such as brake adjustment, brake replacement, replacement of filters, wiper rubbers etc., which are required as part of normal vehicle maintenance (refer to the service matrix in this booklet).



Tyres

The tyres fitted to your vehicle are not covered by this Voluntary Warranty. However, they may be covered by the tyre manufacturer or under your non-excludable Statutory Rights.



Batteries and bulbs

Batteries and bulbs are warranted for 12 months under this Voluntary Warranty.



Misuse

This Voluntary Warranty does not cover damage caused by:

(a) misuse or abuse of the vehicle such as by racing, rallying, overloading, etc., or neglect,

(b) operation of the vehicle after the defect is known,

(c) failure to carry out proper maintenance services (refer to the service matrix in this booklet),

(d) use of incorrect types and grades of fuel, oil or lubricants,

(e) alteration or modifications of the vehicle by anyone not authorised by Holden,

(f) fitting of parts or accessories not recommended by Holden,

(g) any work carried out on the vehicle by anyone except an Authorised Holden Dealer or Authorised Service Outlet.

PARTS AND ACCESSORIES VOLUNTARY WARRANTY

Holden voluntarily warrants Holden approved Parts and Accessories ('Parts' and 'Accessories') for the periods and on the conditions set out below. The Voluntary Warranty covers the correction, during the relevant Voluntary Warranty Period, of defects in any such Parts and Accessories, by repair or at Holden's option by replacement.

This Parts and Accessories Warranty is in addition to other rights and remedies available to you under your Statutory Rights, which cannot be excluded or limited. This Voluntary Warranty in no way limits or restricts or remedies under such Statutory Rights.

Accessories installed to the new vehicle

Holden approved Accessories installed by a Holden Dealer or Authorised Service Outlet, to the new vehicle, at the time of purchase, are covered together with the New Vehicle Voluntary Warranty for the period of 3 years or 100,000 km, whichever occurs first.

Parts and Accessories installed after new vehicle delivery by a Holden Dealer or Authorised Service Outlet

Parts and Accessories installed after a new vehicle delivery by a Holden Dealer or Authorised Service Outlet, are covered under this Voluntary Warranty for 2 years or 50,000 km (whichever occurs first). If the vehicle is still within the New Vehicle Voluntary Warranty, the Parts and Accessories are covered by the longer of:

- 2 years/50,000 km (whichever occurs first),
  OR
- the end of the New Vehicle Voluntary Warranty.

As an example, an Accessory installed in a 7 month old vehicle would be covered until the end of the New Vehicle Voluntary Warranty. An accessory installed in a 2½ year old vehicle would be covered until the end of 4½ years or a further 50,000 km from when the Accessory was installed.

Purchased at retail or trade

Holden approved parts and/or accessories purchased at trade or retail and installed by OTHER than a Holden Dealer, Branch or Holden Service Centre, are warranted under this Voluntary Warranty for 2 years or 50,000 km (which ever occurs first) from the date of purchase. Adequate proof of purchase must be provided to support warranty claims under this Voluntary Warranty. As with all Holden voluntary warranties, the benefits to you are in addition to your non-excludable Statutory Rights and failures attributed to normal wear and tear, misuse or abuse, incorrect fitment or poor workmanship undertaken by someone other than a Holden Dealer, Branch or Holden Service Centre will not be covered.

Major powertrain components and various sub components must have odometer readings recorded at date of installation (on the dealer invoice or the repair order or invoice of the installer of the component) to support a voluntary warranty claim.

Labour costs of a repairer other than a Holden Dealer, Branch or Holden Service Centre to replace a failed part are not covered by this voluntary warranty and subject to your non-excludable Statutory Rights, will not be reimbursed.

PARTS AND ACCESSORIES VOLUNTARY WARRANTY cont.

Parts and accessories voluntary warranty exclusions

Tyres are not covered by this Voluntary Warranty. However, they may be covered by the tyre manufacturer or under your non-excludable Statutory Rights.

Batteries are warranted under this Voluntary Warranty for 12 months from date of purchase.

Excluded from this Voluntary Warranty are items which are anticipated to require replacement within the voluntary warranty period as a consequence of wear and/or normal vehicle maintenance including, but not limited to, filters, spark plugs, globes, wiper blades etc..., in which case a 12 month voluntary warranty covering manufacturing defect shall apply.

VOLUNTARY WARRANTY QUESTIONS AND ANSWERS

This section is designed to assist you to understand the Holden Voluntary Warranty provided with your new vehicle which is in addition to your Statutory Rights which cannot be excluded, limited or restricted by this Voluntary Warranty.

The following are some of the most frequently asked questions for which detailed answers are provided.

Q 1. How do I go about obtaining Holden Voluntary Warranty service?

It is the responsibility of the Selling Dealer to provide Holden Voluntary Warranty service, therefore, you should take your vehicle to the Selling Dealer whenever Holden Voluntary Warranty service is needed. However, if this is not possible, you may go to any other Authorised Holden Dealer. The details recorded inside the front cover of this service booklet will be required by the Dealer.

Q 2. What should I do if my vehicle becomes unsafe or inoperative as a result of a defect which is covered by the Holden New Vehicle Voluntary Warranty?

You should contact the nearest Authorised Holden Dealer or Holden Roadside Assistance as soon as possible, and arrange for that Dealer to carry out the required Holden Voluntary Warranty Service.

Q 3. What should I do if, in an emergency, Holden Voluntary Warranty Service is required and an Authorised Holden Dealer is not available to provide such service at the time?

Subject to your Statutory Rights, if, in an emergency, a repair, replacement or adjustment (covered by the Holden New Vehicle Voluntary Warranty) is required to enable your vehicle to be operated safely and it is not practical for you to go to an Authorised Holden Dealer, the service (to the extent that it is necessary to enable your vehicle to be operated safely) may be performed by any other qualified mechanic or repairer. A claim for the reasonable cost may be made under the Holden Voluntary Warranty through the Authorised Holden Dealer who would normally provide you with Holden Voluntary Warranty service. You must also take your vehicle to the Authorised Holden Dealer for inspection of the service and/or completion of any required Holden Voluntary Warranty service, as soon as possible.

Note During normal business hours, you should seek authorisation from your nearest Authorised Holden Dealer or Holden Customer Assistance Service, prior to repairs under your Voluntary Warranty being commenced.

Q 4. Are damage or injury, loss of time, inconvenience, commercial or other direct or indirect loss covered by the Holden Voluntary Warranty?

No, these items are not covered under the Holden Voluntary Warranty. Holden Voluntary Warranty only covers the repair, replacement or adjustment of those parts of your vehicle which are found to be defective in materials or workmanship. No other types of claim for compensation of any kind, even if the same resulted from a consequence of a defect in materials or workmanship in your vehicle, will be recognised under the Holden New Vehicle Voluntary Warranty.

You may have rights under your non-excludable Statutory Rights to claim compensation or other remedies outside of the Holden New Vehicle Voluntary Warranty, but any claim based on those rights should be separately pursued.

VOLUNTARY WARRANTY QUESTIONS AND ANSWERS cont.

Q 5. Will I have to pay for maintenance costs during the Voluntary Warranty Period?

Maintenance costs are not covered by the Holden New Vehicle Voluntary Warranty. The Maintenance schedules in this service booklet specify the minimum maintenance required for your vehicle operating under normal conditions.

Subject to your Statutory Rights, the Maintenance items (except where they are required as a result of defects in materials or workmanship) for which you will have to pay include:

- Engine tune-up, including spark plugs replacement.
- Replacement of all filters (including LPG lock off filter*), engine and other belts, hoses (including LPG hoses*) wiper blades and clutch linings.
- Cleaning or flushing of fuel, coolant, brake, engine, transmission, differential, power steering etc., after 3,000 km.
- Carbon and sludge removal.
- Maintenance servicing of emission control system devices.
- Adding to (or replacing) lubricants.
- Adding to (or replacing) air conditioning refrigerant, after 3,000 km.
- Any necessary adjustments to drive belts, transmissions, clutch, park brake etc.
- Wheel balancing – after 3,000 km.
- Wheel alignment.
- De-dusting or de-glazing of brake linings or pads – after 3,000 km.
- Brake pad/lining wear or damaged brake components due to brake/pad lining wear.
- Clutch lining wear or damaged clutch components due to lining wear.
- Brake disc pad or disc wear.
- Battery recharging.
- Paint, bright metal finish and trim, due to normal deterioration.
- Body panel adjustment – after 3,000 km.
- Door, or bonnet lock adjustments.
- Glass or channel adjustments – after 3,000 km.
- Body rattle, squeaks and general tightening of bolts, fasteners and fittings – after 3,000 km.
- Chipped glass or breakage.
- Torn or damaged floor mats or carpets.
- Normal wear and tear to trim components.

Q 6. Are my tyres covered by the Holden New Vehicle Voluntary Warranty?

No. The tyres fitted to your vehicle may be covered by a separate voluntary warranty provided by the tyre manufacturer or under non-excludable Statutory Rights. Any Authorised Holden Dealer will assist you by discussing any queries which you might have with respect to the tyre manufacturer's voluntary warranty, with the tyre manufacturer's representative.

VOLUNTARY WARRANTY QUESTIONS AND ANSWERS cont.

Q 7. Will I have to pay for any costs or expenses in connection with the provision of Holden Voluntary Warranty service?

All parts and labour used in carrying out Holden Voluntary Warranty service at the premises of the servicing Holden Dealer, are free of charge. Whenever Holden Voluntary Warranty service is to be carried out by the servicing Holden Dealer it is your responsibility to deliver your vehicle to the servicing Holden Dealer's premises.

If, as a result of a defect which is covered by the Holden New Vehicle Voluntary Warranty, your vehicle cannot be driven safely and you arrange for the nearest Authorised Holden Dealer to carry out the required Holden Voluntary Warranty service, Holden will accept reasonable towing costs to move your vehicle to the nearest Holden Dealer's premises. Before employing a towing company, contact the nearest Holden Dealer or Holden Roadside Assistance Service or Holden Customer Assistance Service to obtain guidance.

Q 8. Would my vehicle's engine benefit from fuel additives, oil additives or coolant additives not marketed by Holden?

The use of break-in oil, tune-up compounds, friction-reducing compounds and other supplemental additives is not recommended. Your vehicle has been designed, developed and tested by the manufacturer without the use of these additives. Any negative impact or consequences due to the use of additives may affect the validity of your New Vehicle Voluntary Warranty.

Only the fluids and lubricants referred to in the owners handbook should be used.

Unauthorised statements in relation to Holden products

No Holden Dealer or other person is authorised or permitted to give or make any statement, assertion or undertaking in relation to the quality, performance, characteristics, descriptions or fitness for any purpose of any Holden product or in connection with the supply of any Holden product, which is at variance with any written statement, assertion or undertaking on any of these subjects given or made by Holden in its published sales literature, and Holden does not accept any responsibility for such unauthorised action.

SERVICING

The free first inspection

The 3,000 km inspection is performed free of charge (unless LPG is fitted) by the Selling Dealer. A different Holden Dealer may perform this inspection if provided with a letter of authorityor similar.

The Selling Dealer may supply this authorisation upon request.

Service coupons

Service coupons are provided at the end of this booklet. When each service is performed, the appropriate coupon is removed. This reveals the next coupon to remind you when the next service is due.

After each service, check that the service has been validated with the Dealer's stamp and signature on the coupon stub. This is important as it not only assists in the determination of voluntary warranty claims, but enhances the value of the vehicle when selling.

Service coupons are provided for each service up to the 210,000 km service. After that time, the Maintenance schedule further on in this booklet should be followed, commencing with the 10,000 km service.

Additional service requirements

If you are driving your vehicle outside of the normal driving operations, you may need to conduct additional servicing. A service coupon and criteria for these additional services can be found in the additional service requirements section of this booklet.

Your Holden Dealer

When it comes to service, remember that your Holden Dealer has the trained personnel and specialised equipment to correctly service your vehicle. Your Dealer invites you to return for all your service needs both during and after the Voluntary Warranty Period.

The safety, economy, emission control, performance and reliability of your vehicle cannot be assured unless regular maintenance is performed, preferably by factory-trained technicians at Holden Dealers.

Voluntary Warranty and service

Subject to your non-excludable Statutory Rights, all maintenance services listed in this handbook, and replacement of service items, are the responsibility of the owner and as such are NOT considered under the provisions of the New Vehicle Voluntary Warranty to be rectified of defective material and workmanship. Items such as wheel alignment, necessary adjustments to drive belts, transmission, clutch and parking brake or any other items which may require servicing due to fair wear and tear are carried out at the owner's cost.

Damage caused by failure to have proper maintenance services carried out in accordance with Holden's specifications may void your New Car Voluntary Warranty. As a result, it is strongly recommended that such services be carried out by an authorised Holden Dealer or Authorised Service Outlet and that you read the New Vehicle Voluntary Warranty section previously in this booklet, so that you are aware of the voluntary warranty exclusions.

DETERMINING SERVICE INTERVALS

Determining the proper service interval

The operating conditions of your vehicle determine the service interval. Refer to *Additional service requirements* further on in this booklet. Use the odometer reading or the time interval, whichever occurs first, to determine when the service is due.

Under certain operating conditions, your Holden may require additional servicing to ensure maximum safety, performance and longevity.

The additional service requirements typically include more frequent replacement of lubricating oils for example, engine transmission fluids and the more frequent inspection of steering, suspension and brake system components.

Also, brake fluid deteriorates with time and should normally be replaced every two years. However, heavy duty towing places a higher demand on the brake system. Therefore, brake fluid should be replaced each year if towing 1,600 kg (or higher).

Your Holden Dealer will be able to determine the appropriate service requirements for your vehicle according to your operating conditions.

If you drive less than 10,000 km in a 6 month period, some oils may require changing more frequently. Engine oil can deteriorate faster than normal if the engine is operated in significantly hot or cold conditions or if driving in unusual environments (for example, high dust levels).

LPG SERVICE AND MAINTENANCE*

All service and repair work must be performed by a properly trained specialist. If the repair work involves opening the high-pressure LPG lines or associated components to the atmosphere, this should also be carried out by an authorised LPG technician and the work must be carried out to Australian Standard AS/NZS1425:2007 (Ute).

State/Territory Regulations

Different states/territories may have additional service requirements. The additional work should be carried out and noted on the service coupons.

LPG Cylinder

The LPG cylinder must be removed and pressure tested by an authorised LPG cylinder test centre once every 10 years from the original test date stamped on a plate attached to the cylinder.

New Engine Run-In Procedure

It is recommended that the engine of your vehicle be run in on petrol for 500 km before running the vehicle on LPG.

SERVICE INTERVALS

Distance/time based service intervals

The first inspection is due at 3,000 km or 3 months (whichever occurs first). The first service is due at 10,000 km or 6 months (whichever occurs first). Thereafter, at every 10,000 km or 6 months since the last service (whichever occurs first).

Additional services are required under certain driving conditions, such as when towing. Refer to *Additional service requirements* further on in this booklet.

Service intervals	
3,000 km	3 months
10,000 km	6 months
20,000 km	1 year
30,000 km	1.5 years
40,000 km	2 years
50,000 km	2.5 years
60,000 km	3 years
70,000 km	3.5 years
80,000 km	4 years
90,000 km	4.5 years
100,000 km	5 years
110,000 km	5.5 years
120,000 km	6 years
130,000 km	6.5 years
140,000 km	7 years
150,000 km	7.5 years
160,000 km	8 years
170,000 km	8.5 years
180,000 km	9 years
190,000 km	9.5 years
200,000 km	10 years
210,000 km	10.5 years

MAINTENANCE SCHEDULE

x 1,000 km or	3	10	20	30	40	50	60	70	80	90	100
Cumulative months (whichever occurs first)	3	+6	+6	+6	+6	+6	+6	+6	+6	+6	+6
Under bonnet											
*Engine oil & filter.	-	R	R	R	R	R	R	R	R	R	R
Oil leakage & contamination.	I	I	I	I	I	I	I	I	I	I	I
Fluid levels: brake, power steering, clutch, auto transmission & washer. Check coolant % with tester & check level (pressure test if level is low).	I	I	I	I	I	I	I	I	I	I	I
Coolant change.	Change required every 60 months (regardless of kms).										
Idle speed & acceleration.	I	I	I	I	I	I	I	I	I	I	I
All hoses & pipes in engine compartment for deterioration or leaks.	I	I	I	I	I	I	I	I	I	I	I
Front of radiator core & A/C condenser. (clean as required)	-	-	I	-	I	-	I	-	I	-	I
Fuel filter (4JJ1-TC HI).	-	-	R	-	R	-	R	-	R	-	R
Fuel filter (HFV6).	-	-	-	-	R	-	-	-	R	-	-
*Air filter element.	I	I	I	I	R	I	I	I	R	I	I
Accessory drive belt/s condition.	I	I	I	I	I	I	I	I	I	I	I
Accessory drive belt (HFV6).	-	-	-	-	-	-	-	-	-	-	R
Valve clearance (4JJ1-TC HI).	-	-	-	-	A	-	-	-	A	-	-
Spark plugs (HFV6).	-	-	-	-	-	-	-	-	-	-	-
Power steering fluid.	-	-	-	-	R	-	-	-	R	-	-
Clutch fluid.	Change required every 24 months (regardless of kms).										
*Brake fluid.	Change required every 24 months (regardless of kms) under normal driving conditions.										
*Automatic transmission fluid (HFV6).	-	-	-	-	-	-	-	-	-	-	R
*Automatic transmission fluid (4JJ1-TC HI).	Not required under normal driving conditions.										

I: Inspect / check and correct or replace as necessary **R**: Replace or change
T: Tighten to specified torque **L**: Lubricate **A**: Adjust

Maintenance schedule continued next page.

*Items requiring additional servicing under some driving conditions. Refer to *Additional service requirements* further on in this booklet.

MAINTENANCE SCHEDULE cont.

x 1,000 km or Cumulative months (whichever occurs first)	110 +6	120 +6	130 +6	140 +6	150 +6	160 +6	170 +6	180 +6	190 +6	200 +6	210 +6
Under bonnet											
*Engine oil & filter.	R	R	R	R	R	R	R	R	R	R	R
Oil leakage & contamination.	I	I	I	I	I	I	I	I	I	I	I
Fluid levels: brake, power steering, clutch, auto transmission & washer. Check coolant % with tester & check level (pressure test if level is low).	I	I	I	I	I	I	I	I	I	I	I
Coolant change.	Change required every 60 months (regardless of kms).										
Idle speed & acceleration.	I	I	I	I	I	I	I	I	I	I	I
All hoses & pipes in engine compartment for deterioration or leaks.	I	I	I	I	I	I	I	I	I	I	I
Front of radiator core & A/C condenser. (clean as required)	-	I	-	I	-	I	-	I	-	I	-
Fuel filter (4JJ1-TC HI).	-	R	-	R	-	R	-	R	-	R	-
Fuel filter (HFV6).	-	R	-	-	-	R	-	-	-	R	-
*Air filter element.	I	R	I	I	I	R	I	I	I	R	I
Accessory drive belt/s condition.	I	I	I	I	I	I	I	I	I	I	I
Accessory drive belt (HFV6).	-	-	-	-	-	-	-	-	-	R	-
Valve clearance (4JJ1-TC HI).	-	A	-	-	-	A	-	-	-	A	-
Spark plugs (HFV6).	-	R	-	-	-	-	-	-	-	-	-
Power steering fluid.	-	R	-	-	-	R	-	-	-	R	-
Clutch fluid.	Change required every 24 months (regardless of kms).										
*Brake fluid.	Change required every 24 months (regardless of kms) under normal driving conditions.										
*Automatic transmission fluid (HFV6).	-	-	-	-	-	-	-	-	-	R	-
*Automatic transmission fluid (4JJ1-TC HI).	Not required under normal driving conditions.										

I: Inspect / check and correct or replace as necessary **R**: Replace or change
T: Tighten to specified torque **L**: Lubricate **A**: Adjust
*Items requiring additional servicing under some driving conditions. Refer to *Additional service requirements* further on in this booklet.

MAINTENANCE SCHEDULE cont.

x 1,000 km or	3	10	20	30	40	50	60	70	80	90	100
Cumulative months (whichever occurs first)	3	+6	+6	+6	+6	+6	+6	+6	+6	+6	+6
Under vehicle											
*Manual transmission oil.	I	I	I	I	R	I	I	I	R	I	I
*Transfer case oil.	I	I	I	I	I	I	I	I	I	I	I
Shift on the fly system oil.	I	I	I	I	I	I	I	I	I	I	I
*Universal joints & splines for wear.	-	-	I	-	I	-	I	-	I	-	I
*Universal joints & sliding sleeve.	L	L	L	L	L	L	L	L	L	L	L
*Differential oil.	I	I	I	I	R	I	I	I	R	I	I
*Exhaust system.	I	I	I	I	I	I	I	I	I	I	I
*Brake pads / discs & linings / drum wear.	-	I	I	I	I	I	I	I	I	I	I
Rear brake adjustment	I	I	I	I	I	I	I	I	I	I	I
Wheel nuts.	T	T	T	T	T	T	T	T	T	T	T
Front hub bearing grease.	-	-	-	R	-	-	R	-	-	R	-
Front & rear hub bearings for looseness.	-	I	I	I	I	I	I	I	I	I	I
Front axle shaft rubber boots for damage.	-	-	I	-	I	-	I	-	I	-	I
Axle housings/shafts – visual inspection for distortion or damage.	-	-	I	-	I	-	I	-	I	-	I
Tyres for wear or damage. (1) Rotate & balance wheels (if required). Check air pressures & for wheel damage.	I	I	I	I	I	I	I	I	I	I	I
General under body check: steering & suspension* components (inc. shock absorbers, all rubber bushes & boots, ball joints, connections, leaf springs, coil springs, torsion bars, stabiliser bars, park brake cables, fuel system, exhaust system, brake system, bolts, nuts, hoses, pipes & check for leaks.	I	I	I	I	I	I	I	I	I	I	I

I: Inspect / check and correct or replace as necessary **R**: Replace or change
T: Tighten to specified torque **L**: Lubricate **A**: Adjust

Maintenance schedule continued next page.

(1) Rotate & balance of wheels not required at 3,000 km inspection.

*Items requiring additional servicing under some driving conditions. Refer to *Additional service requirements* further on in this booklet.

MAINTENANCE SCHEDULE cont.

x 1,000 km or	110	120	130	140	150	160	170	180	190	200	210
Cumulative months (whichever occurs first)	+6	+6	+6	+6	+6	+6	+6	+6	+6	+6	+6
Under vehicle											
*Manual transmission oil.	I	R	I	I	I	R	I	I	I	R	I
*Transfer case oil.	I	I	I	I	I	I	I	I	I	I	I
Shift on the fly system oil.	I	I	I	I	I	I	I	I	I	I	I
*Universal joints & splines for wear.	-	I	-	I	-	I	-	I	-	I	-
*Universal joints & sliding sleeve.	L	L	L	L	L	L	L	L	L	L	L
*Differential oil.	I	R	I	I	I	R	I	I	I	R	I
*Exhaust system.	I	I	I	I	I	I	I	I	I	I	I
*Brake pads / discs & linings / drum wear.	I	I	I	I	I	I	I	I	I	I	I
Rear brake adjustment	I	I	I	I	I	I	I	I	I	I	I
Wheel nuts.	T	T	T	T	T	T	T	T	T	T	T
Front hub bearing grease.	-	R	-	-	R	-	-	R	-	-	R
Front & rear hub bearings for looseness.	I	I	I	I	I	I	I	I	I	I	I
Front axle shaft rubber boots for damage.	-	I	-	I	-	I	-	I	-	I	-
Axle housings/shafts – visual inspection for distortion or damage.	-	I	-	I	-	I	-	I	-	I	-
Tyres for wear or damage. (1) Rotate & balance wheels (if required). Check air pressures & for wheel damage.	I	I	I	I	I	I	I	I	I	I	I
General under body check: steering & suspension* components (inc. shock absorbers, all rubber bushes & boots, ball joints, connections, leaf springs, coil springs, torsion bars, stabiliser bars, park brake cables, fuel system, exhaust system, brake system, bolts, nuts, hoses, pipes & check for leaks.	I	I	I	I	I	I	I	I	I	I	I

I: Inspect / check and correct or replace as necessary **R**: Replace or change
T: Tighten to specified torque **L**: Lubricate **A**: Adjust

(1) Rotate & balance of wheels not required at 3,000 km inspection.

*Items requiring additional servicing under some driving conditions. Refer to *Additional service requirements* further on in this booklet.

MAINTENANCE SCHEDULE cont.

x 1,000 km or	3	10	20	30	40	50	60	70	80	90	100
Cumulative months (whichever occurs first)	3	+6	+6	+6	+6	+6	+6	+6	+6	+6	+6
Vehicle interior											
Clutch pedal travel & free play.	I	I	I	I	I	I	I	I	I	I	I
Brake pedal travel & free play.	I	I	I	I	I	I	I	I	I	I	I
Steering wheel free play.	I	I	I	I	I	I	I	I	I	I	I
Operation of wipers, switches & controls.	I	I	I	I	I	I	I	I	I	I	I
Park brake operation & adjust as required.	I	I	I	I	I	I	I	I	I	I	I
Seat belts, check webbing condition, buckle operation & retractor mechanism operation.	I	I	I	I	I	I	I	I	I	I	I
LPG service items											
High pressure leak check of converter & lock-off.	I	I	I	-	I	I	-	I	I	-	I
High pressure leak check of all service line connection.	I	I	I	I	I	I	I	I	I	I	I
High pressure leak check of filler hose & valve.	I	I	I	I	I	I	I	I	I	I	I
High pressure leak check of LPG cylinder connections.	I	I	I	I	I	I	I	I	I	I	I
Check fuel selector operation.	I	I	I	I	I	I	I	I	I	I	I
Replace LPG vapour filter and O' rings.	-	-	-	R	-	-	R	-	-	R	-
Check torque of convertor bolts	-	-	-	T	-	-	-	-	-	-	-
Convertor overhaul	-	-	-	-	-	-	-	-	-	-	I
Inspect & service the front LPG solenoid valve. **Note** The front LPG liquid filter is in the front LPG solenoid valve. Replace the O' rings & filter element.	-	-	-	-	-	-	-	-	-	-	-
Inspect all fasteners of the LPG system for correct tension	I	-	-	-	-	-	-	-	-	-	-
Inspect and pressure test the LPG tank.	Every 10 years (regardless of km)										

I: Inspect / check and correct or replace as necessary **R**: Replace or change
T: Tighten to specified torque **L**: Lubricate **A**: Adjust

Maintenance schedule continued next page.

*Items requiring additional servicing under some driving conditions. Refer to *Additional service requirements* further on in this booklet.

MAINTENANCE SCHEDULE cont.

x 1,000 km or	110	120	130	140	150	160	170	180	190	200	210
Cumulative months (whichever occurs first)	+6	+6	+6	+6	+6	+6	+6	+6	+6	+6	+6
Vehicle interior											
Clutch pedal travel & free play.	I	I	I	I	I	I	I	I	I	I	I
Brake pedal travel & free play.	I	I	I	I	I	I	I	I	I	I	I
Steering wheel free play.	I	I	I	I	I	I	I	I	I	I	I
Operation of wipers, switches & controls.	I	I	I	I	I	I	I	I	I	I	I
Park brake operation & adjust as required.	I	I	I	I	I	I	I	I	I	I	I
Seat belts, check webbing condition, buckle operation & retractor mechanism operation.	I	I	I	I	I	I	I	I	I	I	I
LPG service items											
High pressure leak check of converter & lock-off.	I	-	I	I	-	I	I	-	I	I	-
High pressure leak check of all service line connection.	I	I	I	I	I	I	I	I	I	I	I
High pressure leak check of filler hose & valve.	I	I	I	I	I	I	I	I	I	I	I
High pressure leak check of LPG cylinder connections.	I	I	I	I	I	I	I	I	I	I	I
Check fuel selector operation.	I	I	I	I	I	I	I	I	I	I	I
Replace LPG vapour filter and O' rings.	-	R	-	-	R	-	-	R	-	-	R
Check torque of convertor bolts	-	-	T	-	-	-	-	-	-	-	-
Convertor overhaul	-	-	-	-	-	-	-	-	-	I	-
Inspect & service the front LPG solenoid valve. **Note** The front LPG liquid filter is in the front LPG solenoid valve. Replace the O' rings & filter element.	-	R	-	-	-	-	-	-	-	-	-
Inspect all fasteners of the LPG system for correct tension	-	-	-	-	-	-	-	-	-	-	-
Inspect and pressure test the LPG tank.	Every 10 years (regardless of km)										

I: Inspect / check and correct or replace as necessary **R**: Replace or change
T: Tighten to specified torque **L**: Lubricate **A**: Adjust **P**: Petrol **D**: Diesel

Maintenance schedule continued next page.

*Items requiring additional servicing under some driving conditions. Refer to *Additional service requirements* further on in this booklet.

MAINTENANCE SCHEDULE cont.

x 1,000 km or	3	10	20	30	40	50	60	70	80	90	100
Cumulative months (whichever occurs first)	3	+6	+6	+6	+6	+6	+6	+6	+6	+6	+6
Vehicle exterior											
Operation of all exterior lights.	I	I	I	I	I	I	I	I	I	I	I
Transmitter range of remote control.	I	I	I	I	I	I	I	I	I	I	I
Lubricate bonnet catch, hinges & all lock cylinders.	L	L	L	L	L	L	L	L	L	L	L
Road test											
Braking, steering, engine response & transmission operation. Operation of cruise control. Park pawl operation. Air conditioner performance. Neutral start switch. Check for any outstanding safety recalls.	I	I	I	I	I	I	I	I	I	I	I

I: Inspect / check and correct or replace as necessary **R**: Replace or change
T: Tighten to specified torque **L**: Lubricate **A**: Adjust

Maintenance schedule continued next page.

*Items requiring additional servicing under some driving conditions. Refer to *Additional service requirements* further on in this booklet.

MAINTENANCE SCHEDULE cont.

x 1,000 km or	110	120	130	140	150	160	170	180	190	200	210
Cumulative months (whichever occurs first)	+6	+6	+6	+6	+6	+6	+6	+6	+6	+6	+6
Vehicle exterior											
Operation of all exterior lights.	I	I	I	I	I	I	I	I	I	I	I
Transmitter range of remote control.	I	I	I	I	I	I	I	I	I	I	I
Lubricate bonnet catch, hinges & all lock cylinders.	L	L	L	L	L	L	L	L	L	L	L
Road test											
Braking, steering, engine response & transmission operation. Operation of cruise control. Park pawl operation. Air conditioner performance. Neutral start switch. Check for any outstanding safety recalls.	I	I	I	I	I	I	I	I	I	I	I

I: Inspect / check and correct or replace as necessary **R**: Replace or change
T: Tighten to specified torque **L**: Lubricate **A**: Adjust **P**: Petrol **D**: Diesel

*Items requiring additional servicing under some driving conditions. Refer to *Additional service requirements* further on in this booklet.

SERVICE CHARGES

Lubricants and materials

The owner is charged for all lubricants and materials used, plus labour, at the times recommended on the service coupons.

Brake fluid

Must be changed every 24 months (charge added for brake fluid and 0.4 hour labour).

Clutch fluid

Must be changed every 24 months (charge added for clutch fluid and 0.2 hour labour).

Engine coolant

Must be changed every 60 months (charge added for engine coolant and 0.4 hour labour).

LPG tank*

The LPG tank must be inspected and pressure tested by a licensed LPG cylinder testing station at least every ten years. An additional charge is added for this service.

Fault repairs

The owner is charged for the repair or replacement of any part found faulty during a service check and not covered by Holden Voluntary Warranty.

Where any deficiencies are noted, such items should be reported to the owner/operator and the extra work authorised.

Additives not recommended

The use of break-in oil, tune-up compounds, friction reducing compounds and other supplemental additives are not recommended; their use not only increases operating costs, but may indeed be harmful to your vehicle.

ADDITIONAL SERVICE REQUIREMENTS

The Maintenance schedule previously in this booklet, shows the service items for normal driving requirements. Additional service items are required when driving under any of the operating conditions listed below. If you operate the vehicle under any of these conditions on a one off basis, for example a holiday trip, then an additional service should be performed for that time only. The additional service should include all additional service items that apply to the operating conditions.

Operating conditions

A= Repeated short trips.

B= Driving on rough roads.

C= Driving on dusty, muddy and / or off road.

D= Cold weather (below 5 °C) and when most trips are less than 5 km.

E= Caravan or trailer towing.

F= Operation in high ambient temperature conditions.

Extra services required

Change engine oil every 5,000 km			C	D	E	
Replace engine oil filter every 5,000 km			C	D		
Replace air filter element every 20,000 km			C			
Inspect steering system for looseness or damage every 5,000 km		B	C			
Inspect universal joints/splines and sleeve for wear every 5,000 km		B	C			
Lubricate universal joints & sliding sleeve every 5,000 km.		B	C		E	
Inspect exhaust system every 5,000 km	A	B		D		
Change manual transmission and transfer case oil every 20,000 km		B	C			F
Change automatic transmission fluid every 20,00 km	A	B	C	D	E	
Change differential oil every 20,000 km		B	C		E	
Inspect brakes every 5,000 km	A	B	C		E	
Change brake fluid every 1 year if towing 1,600 kg (or higher) *					E	
Change petrol fuel filter every 20,000 km			C			

*Brake fluid deteriorates with time and should normally be replaced every two years. However, heavy duty towing requires fresher fluid due to the higher demand on the brake system. Therefore, brake fluid should be replaced each year if towing 1,600 kg (or higher), so that the brake system can cope with the next year's towing requirements.

ADDITIONAL SERVICE REQUIREMENTS cont.

Additional service charges

- Under vehicle/safety check.....0.5 hour
- If the automatic transmission fluid is changed.....add 0.3 hour
- If engine oil is changed.....add 0.2 hour
- If engine oil and filter are changed.....add 0.3 hour
- If air filter element is changed.....add 0.2 hour
- If brake fluid is changed.....add 0.4 hour
- If brakes are inspected.....add 0.4 hour
- If engine coolant is changed.....add 0.4 hour
- If manual transmission and transfer case oil is changed.....add 0.2 hour
- If tyres are rotated.....add 0.2 hour
- If differential oil is changed.....add 0.2 hour
- If petrol fuel filter is changed.....add 0.3 hour

Under vehicle/safety check

- ❑ Inspect universal joints & splines for wear.
- ❑ Inspect exhaust system
- ❑ Inspect brake pads / discs & linings / drum wear.
- ❑ Tighten wheel nuts.
- ❑ Inspect front & rear hub bearings for looseness.
- ❑ Inspect front axle shaft rubber boots for damage.
- ❑ Inspect axle housings - visual inspection for distortion or damage.
- ❑ Inspect tyres for wear or damage. Rotate & balance wheels (if required). Check air pressures & for wheel damage.
- ❑ General under body check: steering & suspension* components (inc. shock absorbers, all rubber bushes & boots, ball joints, connections, leaf springs, coil springs, torsion bars, stabiliser bars, park brake cables, fuel system, exhaust system, brake system, bolts, nuts, hoses, pipes & check for leaks.

Vehicle exterior

- ❑ Check operation of all exterior lights.

ADDITIONAL SERVICE REQUIREMENTS cont.

Further servicing required?

As a guide, if you operate your vehicle continually for a period of one month or 1,000 km under any of the conditions listed, then additional services are recommended. If you consider that further servicing may be required, consult the service manager or your Holden Dealer.

Additional service coupons

These coupons are for recording additional servicing. There are more coupons on the following page.

Date ..... km ..... Servicing Dealer ..... Items performed ....
Date ..... km ..... Servicing Dealer ..... Items performed ....
Date ..... km ..... Servicing Dealer ..... Items performed ....
Date ..... km ..... Servicing Dealer ..... Items performed ....
Date ..... km ..... Servicing Dealer ..... Items performed ....
Date ..... km ..... Servicing Dealer ..... Items performed ....

ADDITIONAL SERVICE REQUIREMENTS cont.

Date ..... km ..... Servicing Dealer .....
Items performed .....
.....

Date ..... km ..... Servicing Dealer .....
Items performed .....
.....

Date ..... km ..... Servicing Dealer .....
Items performed .....
.....

Date ..... km ..... Servicing Dealer .....
Items performed .....
.....

Date ..... km ..... Servicing Dealer .....
Items performed .....
.....

Date ..... km ..... Servicing Dealer .....
Items performed .....
.....

Date ..... km ..... Servicing Dealer .....
Items performed .....
.....

ADDITIONAL SERVICE REQUIREMENTS cont.

Date ..... km ..... Servicing Dealer .....
Items performed .....
.....

Date ..... km ..... Servicing Dealer .....
Items performed .....
.....

Date ..... km ..... Servicing Dealer .....
Items performed .....
.....

Date ..... km ..... Servicing Dealer .....
Items performed .....
.....

Date ..... km ..... Servicing Dealer .....
Items performed .....
.....

Date ..... km ..... Servicing Dealer .....
Items performed .....
.....

Date ..... km ..... Servicing Dealer .....
Items performed .....
.....

NOTES

FREE INSPECTION COUPON 3,000 km or 3 months

This coupon should not be removed until the vehicle is presented for service.

Owner's name

Mr Mrs Miss Other .....

Address .....

Town .....

State ..... Postcode .....

Registration ..... Engine no. .....

ISOVIN ..... Model .....

Selling Dealer's stamp and signature

.....

Date of acquisition .....

This vehicle has been thoroughly checked in accordance with the schedule on the reverse side of this coupon.

Servicing Dealer's stamp and signature

.....

Servicing Dealer .....

Town ..... State .....

Owner's signature .....

This inspection is provided free of charge.

3,000 km / 3 months free inspection validation

This vehicle has been thoroughly checked in accordance with the 3,000 km / 3 month free inspection.

Dealer .....

Service Manager's signature .....

Date ..... Odometer reading .....

Under bonnet

- ❑ Inspect oil leakage & contamination.
- ❑ Inspect fluid levels: brake, power steering, clutch, automatic transmission & washer. Check coolant % with tester & check level (pressure test if level low).
- ❑ Inspect idle speed & acceleration.
- ❑ Inspect all hoses & pipes in engine compartment for deterioration or leaks.
- ❑ Inspect air filter element.
- ❑ Inspect accessory drive belt/s condition.

Under vehicle

- ❑ Inspect manual transmission oil level.
- ❑ Inspect transfer case oil level.
- ❑ Inspect shift on the fly system oil level.
- ❑ Lubricate universal joints & sliding sleeve.
- ❑ Inspect differential oil level.
- ❑ Inspect exhaust system.
- ❑ Inspect rear brake adjustment.
- ❑ Tighten wheel nuts.
- ❑ Inspect tyres for wear or damage. (1) Rotate & balance wheels (if required). Check air pressures & for wheel damage.
- ❑ General under body check: steering & suspension* components (inc. shock absorbers, all rubber bushes & boots, ball joints, connections, leaf springs, coil springs, torsion bar, stabiliser bars, park brake cables, fuel system, exhaust system, brake system, bolts, nuts, hoses, pipes & check for leaks.

Vehicle interior

- ❑ Inspect clutch pedal travel & free play.
- ❑ Inspect brake pedal travel & free play.
- ❑ Inspect steering wheel free play.
- ❑ Inspect operation of wipers, switches & controls.
- ❑ Inspect park brake operation & adjust as required.
- ❑ Inspect seat belts, check webbing condition, buckle operation & retractor mechanism operation.

LPG* service items

- ❑ High pressure leak check of converter and lock-off.
- ❑ High pressure leak check of all service line connections.
- ❑ High pressure leak check of filler hose and valve.
- ❑ High pressure leak check of LPG cylinder connections.
- ❑ Check fuel selector operation.
- ❑ Inspect all fasteners of the LPG system for correct tension.

Vehicle exterior

- ❑ Inspect operation of all exterior lights.
- ❑ Inspect transmitter range of remote control.
- ❑ Lubricate bonnet catch, hinges & all lock cylinders.

Road Test

- ❑ Inspect braking, steering, engine response & transmission operation.
- ❑ Inspect operation of cruise control.
- ❑ Inspect park pawl operation.
- ❑ Inspect air conditioner performance.
- ❑ Inspect neutral start switch.
- ❑ Check for any outstanding safety recalls.

SERVICE COUPON 10,000 km or 6 months

I authorise performance of the services specified on this coupon. I understand that I will be charged for the time, parts and lubricants as listed.

- 1 hour labour
- add 0.4 hour for LPG*
- engine oil and filter

There will also be a charge for additional services as required.

.....

.....

.....

Signature .....Date.....

Note If the owner of this vehicle has changed since the last service, refer to the change forms at the front of this booklet.

Under bonnet

- Replace engine oil & filter.
- Inspect oil leakage & contamination.
- Inspect fluid levels: brake, power steering, clutch, automatic transmission and washer. Check coolant % with tester and check level (pressure test if level low).
- Inspect idle speed & acceleration.
- Inspect all hoses & pipes in engine compartment for deterioration or leaks.
- Inspect air filter element.
- Inspect accessory drive belt/s condition.

Service validation
10,000 kms or
6 months

This vehicle has been thoroughly checked in accordance with the 10,000 km/6 month service.

Servicing Dealer ..... Additional services performed

Date of service..... Odometer..... .....

.....

Signed ....

Under vehicle

- ❑ Inspect manual transmission oil level.
- ❑ Inspect transfer case oil level.
- ❑ Inspect shift on the fly system oil level.
- ❑ Lubricate universal joints & sliding sleeve.
- ❑ Inspect differential oil level.
- ❑ Inspect exhaust system
- ❑ Inspect brake pads / discs & linings / drum wear.
- ❑ Inspect rear brake adjustment.
- ❑ Tighten wheel nuts.
- ❑ Inspect front & rear hub bearings for looseness.
- ❑ Inspect tyres for wear or damage. (1) Rotate & balance wheels (if required). Check air pressures & for wheel damage.
- ❑ General under body check: steering & suspension* components (inc. shock absorbers, all rubber bushes & boots, ball joints, connections, leaf springs, coil springs, torsion bar, stabiliser bars, park brake cables, fuel system, exhaust system, brake system, bolts, nuts, hoses, pipes & check for leaks.

Vehicle interior

- ❑ Inspect clutch pedal travel & free play.
- ❑ Inspect brake pedal travel & free play.
- ❑ Inspect steering wheel free play.
- ❑ Inspect operation of wipers, switches & controls.
- ❑ Inspect park brake operation & adjust as required.
- ❑ Inspect seat belts, check webbing condition, buckle operation & retractor mechanism operation.

LPG* service items

- ❑ High pressure leak check of converter and lock-off.
- ❑ High pressure leak check of all service line connections.
- ❑ High pressure leak check of filler hose and valve.
- ❑ High pressure leak check of LPG cylinder connections.
- ❑ Check fuel selector operation.

Vehicle exterior

- ❑ Inspect operation of all exterior lights.
- ❑ Inspect transmitter range of remote control.
- ❑ Lubricate bonnet catch, hinges & all lock cylinders.

Road Test

- ❑ Inspect braking, steering, engine response & transmission operation.
- ❑ Inspect operation of cruise control.
- ❑ Inspect park pawl operation.
- ❑ Inspect air conditioner performance.
- ❑ Inspect neutral start switch.
- ❑ Check for any outstanding safety recalls.

SERVICE COUPON 20,000 km or 6 months

from the last service (whichever occurs first)

I authorise performance of the services specified on this coupon. I understand that I will be charged for the time, parts and lubricants as listed.

- 1.6 hours labour (4JJ1-TC HI)
- 1.6 hours labour (HFV6)
- add 0.4 hour for LPG*
- engine oil and filter change
- replace fuel filter (4JJ1-TC HI)

There will also be a charge for additional services as required.

.....

.....

.....

Signature .....Date.....

Note If the owner of this vehicle has changed since the last service, refer to the change forms at the front of this booklet.

Under bonnet

- ❑ Replace engine oil & filter.
- ❑ Inspect oil leakage & contamination.
- ❑ Inspect fluid levels: brake, power steering, clutch, automatic transmission and washer. Check coolant % with tester and check level (pressure test if level low).
- ❑ Inspect idle speed & acceleration.
- ❑ Inspect all hoses & pipes in engine compartment for deterioration or leaks.
- ❑ Inspect front of radiator core & A/C condenser (clean as required).
- ❑ Replace fuel filter (4JJ1-TC HI).
- ❑ Inspect air filter element.
- ❑ Inspect accessory drive belt/s condition.

Service validation
20,000 kms or
6 months
Since last service
(which ever occurs first)

This vehicle has been thoroughly checked in accordance with the 20,000 km/6 month service.
Servicing Dealer ..... Additional services performed
Brake fluid changed: YES/NO Coolant changed: YES/NO .....
Clutch fluid changed: YES/NO/ N/A (not applicable) .....
Date of service..... Odometer.....
Signed .....

Under vehicle

- ❑ Inspect manual transmission oil level.
- ❑ Inspect transfer case oil level.
- ❑ Inspect shift on the fly system oil level.
- ❑ Inspect universal joints & splines for wear.
- ❑ Lubricate universal joints & sliding sleeve.
- ❑ Inspect differential oil level.
- ❑ Inspect exhaust system
- ❑ Inspect brake pads / discs & linings / drum wear.
- ❑ Inspect rear brake adjustment.
- ❑ Tighten wheel nuts.
- ❑ Inspect front & rear hub bearings for looseness.
- ❑ Inspect front axle shaft rubber boots for damage.
- ❑ Inspect axle housings/shafts - visual inspection for distortion or damage.
- ❑ Inspect tyres for wear or damage. (1) Rotate & balance wheels (if required). Check air pressures & for wheel damage.
- ❑ General under body check: steering & suspension* components (inc. shock absorbers, all rubber bushes & boots, ball joints, connections, leaf springs, coil springs, torsion bar, stabiliser bars, park brake cables, fuel system, exhaust system, brake system, bolts, nuts, hoses, pipes & check for leaks.

Vehicle interior

- ❑ Inspect clutch pedal travel & free play.
- ❑ Inspect brake pedal travel & free play.
- ❑ Inspect steering wheel free play.
- ❑ Inspect operation of wipers, switches & controls.
- ❑ Inspect park brake operation & adjust as required.
- ❑ Inspect seat belts, check webbing condition, buckle operation & retractor mechanism operation.

LPG* service items

- ❑ High pressure leak check of converter and lock-off.
- ❑ High pressure leak check of all service line connections.
- ❑ High pressure leak check of filler hose and valve.
- ❑ High pressure leak check of LPG cylinder connections.
- ❑ Check fuel selector operation.

Vehicle exterior

- ❑ Inspect operation of all exterior lights.
- ❑ Inspect transmitter range of remote control.
- ❑ Lubricate bonnet catch, hinges & all lock cylinders.

Road Test

- ❑ Inspect braking, steering, engine response & transmission operation.
- ❑ Inspect operation of cruise control.
- ❑ Inspect park pawl operation.
- ❑ Inspect air conditioner performance.
- ❑ Inspect neutral start switch.
- ❑ Check for any outstanding safety recalls.

SERVICE COUPON *30,000 km or 6 months*

from the last service (whichever occurs first)

I authorise performance of the services specified on this coupon. I understand that I will be charged for the time, parts and lubricants as listed.

- 1.9 hours labour (HFV6 & 4JJ1-TC HI)
- add 1.0 hour for LPG*
- if 4WD add 0.4 hours
- engine oil and filter change
- replace front hub bearing grease

There will also be a charge for additional services as required.

.....

.....

.....

Signature .....Date.....

Note If the owner of this vehicle has changed since the last service, refer to the change forms at the front of this booklet.

Under bonnet

- ❑ Replace engine oil & filter.
- ❑ Inspect oil leakage & contamination.
- ❑ Inspect fluid levels: brake, power steering, clutch, automatic transmission and washer. Check coolant % with tester and check level (pressure test if level low).
- ❑ Inspect idle speed & acceleration.
- ❑ Inspect all hoses & pipes in engine compartment for deterioration or leaks.
- ❑ Inspect air filter element.
- ❑ Inspect accessory drive belt/s condition.

Service validation
30,000 kms or
6 months
Since last service
(which ever occurs first)

This vehicle has been thoroughly checked in accordance with the 30,000 km/6 month service.
Servicing Dealer ..... Additional services performed
Brake fluid changed: YES/NO Coolant changed: YES/NO .....
Clutch fluid changed: YES/NO/ N/A (not applicable) .....
Date of service..... Odometer.....
Signed .....

Under vehicle

- ❑ Inspect manual transmission oil level.
- ❑ Inspect transfer case oil level.
- ❑ Inspect shift on the fly system oil level.
- ❑ Lubricate universal joints & sliding sleeve.
- ❑ Inspect differential oil level.
- ❑ Inspect exhaust system
- ❑ Inspect brake pads / discs & linings / drum wear.
- ❑ Inspect rear brake adjustment.
- ❑ Tighten wheel nuts.
- ❑ Replace front hub bearing grease.
- ❑ Inspect front & rear hub bearings for looseness.
- ❑ Inspect tyres for wear or damage. (1) Rotate & balance wheels (if required). Check air pressures & for wheel damage.
- ❑ General under body check: steering & suspension* components (inc. shock absorbers, all rubber bushes & boots, ball joints, connections, leaf springs, coil springs, torsion bar, stabiliser bars, park brake cables, fuel system, exhaust system, brake system, bolts, nuts, hoses, pipes & check for leaks.

Vehicle interior

- ❑ Inspect clutch pedal travel & free play.
- ❑ Inspect brake pedal travel & free play.
- ❑ Inspect steering wheel free play.
- ❑ Inspect operation of wipers, switches & controls.
- ❑ Inspect park brake operation & adjust as required.
- ❑ Inspect seat belts, check webbing condition, buckle operation & retractor mechanism operation.

LPG* service items

- ❑ High pressure leak check of all service line connections.
- ❑ High pressure leak check of filler hose and valve.
- ❑ High pressure leak check of LPG cylinder connections.
- ❑ Check fuel selector operation.
- ❑ Replace LPG vapour filter and O'rings.
- ❑ Check torque of convertor bolts.

Vehicle exterior

- ❑ Inspect operation of all exterior lights.
- ❑ Inspect transmitter range of remote control.
- ❑ Lubricate bonnet catch, hinges & all lock cylinders.

Road Test

- ❑ Inspect braking, steering, engine response & transmission operation.
- ❑ Inspect operation of cruise control.
- ❑ Inspect park pawl operation.
- ❑ Inspect air conditioner performance.
- ❑ Inspect neutral start switch.
- ❑ Check for any outstanding safety recalls.

Service validation
40,000 kms or
6 months
Since last service
(which ever occurs first)

This vehicle has been thoroughly checked in accordance with the 40,000 km/6 month service.
Servicing Dealer ..... Additional services performed
Brake fluid changed: YES/NO Coolant changed: YES/NO .....
Clutch fluid changed: YES/NO/ N/A (not applicable) .....
Date of service..... Odometer .....
Signed .....

SERVICE COUPON 40,000 km or 6 months

from the last service (whichever occurs first)

I authorise performance of the services specified on this coupon. I understand that I will be charged for the time, parts and lubricants as listed.

- 2.6 hours labour (4JJ1-TC HI)
- 1.9 hours labour (HFV6)
- add 0.4 hour for LPG*
- if 4WD add 0.2 hours
- engine oil and filter change
- replace fuel filter (HFV6 & 4JJ1-TC HI)
- replace air filter element
- replace power steering fluid
- replace manual transmission oil
- replace differential gear oil
- if brake fluid changed add 0.4 hour plus brake fluid
- if clutch fluid changed add 0.2 hour plus clutch fluid

There will also be a charge for additional services as required.

.....

.....

.....

Signature .....Date.....

Note If the owner of this vehicle has changed since the last service, refer to the change forms at the front of this booklet.

Under bonnet

- ❑ Replace engine oil & filter.
- ❑ Inspect oil leakage & contamination.
- ❑ Inspect fluid levels: brake, power steering, clutch, automatic transmission and washer. Check coolant % with tester and check level (pressure test if level low).
- ❑ Inspect idle speed & acceleration.
- ❑ Inspect all hoses & pipes in engine compartment for deterioration or leaks.
- ❑ Inspect front of radiator core & A/C condenser (clean as required).
- ❑ Replace fuel filter (HFV6 & 4JJ1-TC HI).
- ❑ Replace air filter element.
- ❑ Inspect accessory drive belt/s condition.
- ❑ Adjust valve clearances (4JJ1-TC HI).
- ❑ Replace power steering fluid.
- ❑ Clutch fluid: Change every 2 years (regardless of km).
- ❑ Brake fluid: Change every 2 years (regardless of km).

Under vehicle

- ❑ Replace manual transmission oil.
- ❑ Inspect transfer case oil level.
- ❑ Inspect shift on the fly system oil level.
- ❑ Inspect universal joints & splines for wear.
- ❑ Lubricate universal joints & sliding sleeve.
- ❑ Replace differential oil.
- ❑ Inspect exhaust system
- ❑ Inspect brake pads / discs & linings / drum wear.
- ❑ Inspect rear brake adjustment.
- ❑ Tighten wheel nuts.
- ❑ Inspect front & rear hub bearings for looseness.
- ❑ Inspect front axle shaft rubber boots for damage.
- ❑ Inspect axle housings/shafts - visual inspection for distortion or damage.
- ❑ Inspect tyres for wear or damage. (1) Rotate & balance wheels (if required). Check air pressures & for wheel damage.
- ❑ General under body check: steering & suspension* components (inc. shock absorbers, all rubber bushes & boots, ball joints, connections, leaf springs, coil springs, torsion bar, stabiliser bars, park brake cables, fuel system, exhaust system, brake system, bolts, nuts, hoses, pipes & check for leaks.

Vehicle interior

- ❑ Inspect clutch pedal travel & free play.
- ❑ Inspect brake pedal travel & free play.
- ❑ Inspect steering wheel free play.
- ❑ Inspect operation of wipers, switches & controls.
- ❑ Inspect park brake operation & adjust as required.
- ❑ Inspect seat belts, check webbing condition, buckle operation & retractor mechanism operation.

LPG* service items

- ❑ High pressure leak check of converter and lock-off.
- ❑ High pressure leak check of all service line connections.
- ❑ High pressure leak check of filler hose and valve.
- ❑ High pressure leak check of LPG cylinder connections.
- ❑ Check fuel selector operation.

Vehicle exterior

- ❑ Inspect operation of all exterior lights.
- ❑ Inspect transmitter range of remote control.
- ❑ Lubricate bonnet catch, hinges & all lock cylinders.

Road Test

- ❑ Inspect braking, steering, engine response & transmission operation.
- ❑ Inspect operation of cruise control.
- ❑ Inspect park pawl operation.
- ❑ Inspect air conditioner performance.
- ❑ Inspect neutral start switch.
- ❑ Check for any outstanding safety recalls.

SERVICE COUPON 50,000 km or 6 months

from the last service (whichever occurs first)

I authorise performance of the services specified on this coupon. I understand that I will be charged for the time, parts and lubricants as listed.

- 1 hours labour (HFV6)
- 1.2 hours labour (4JJ1-TC HI)
- add 0.4 hour for LPG*
- engine oil and filter change

There will also be a charge for additional services as required.

.....

.....

.....

Signature .....Date.....

Note If the owner of this vehicle has changed since the last service, refer to the change forms at the front of this booklet.

Under bonnet

- ❑ Replace engine oil & filter.
- ❑ Inspect oil leakage & contamination.
- ❑ Inspect fluid levels: brake, power steering, clutch, automatic transmission and washer. Check coolant % with tester and check level (pressure test if level low).
- ❑ Inspect idle speed & acceleration.
- ❑ Inspect all hoses & pipes in engine compartment for deterioration or leaks.
- ❑ Inspect air filter element.
- ❑ Inspect accessory drive belt/s condition.

Service validation
50,000 kms or
6 months
Since last service
(which ever occurs first)

This vehicle has been thoroughly checked in accordance with the 50,000 km/6 month service.
Servicing Dealer ..... Additional services performed
Brake fluid changed: YES/NO Coolant changed: YES/NO .....
Clutch fluid changed: YES/NO/ N/A (not applicable) .....
Date of service..... Odometer .....
Signed .....

Under vehicle

- ❑ Inspect manual transmission oil level.
- ❑ Inspect transfer case oil level.
- ❑ Inspect shift on the fly system oil level.
- ❑ Lubricate universal joints & sliding sleeve.
- ❑ Inspect differential oil level.
- ❑ Inspect exhaust system
- ❑ Inspect brake pads / discs & linings / drum wear.
- ❑ Inspect rear brake adjustment.
- ❑ Tighten wheel nuts.
- ❑ Inspect front & rear hub bearings for looseness.
- ❑ Inspect tyres for wear or damage. (1) Rotate & balance wheels (if required). Check air pressures & for wheel damage.
- ❑ General under body check: steering & suspension* components (inc. shock absorbers, all rubber bushes & boots, ball joints, connections, leaf springs, coil springs, torsion bar, stabiliser bars, park brake cables, fuel system, exhaust system, brake system, bolts, nuts, hoses, pipes & check for leaks.

Vehicle interior

- ❑ Inspect clutch pedal travel & free play.
- ❑ Inspect brake pedal travel & free play.
- ❑ Inspect steering wheel free play.
- ❑ Inspect operation of wipers, switches & controls.
- ❑ Inspect park brake operation & adjust as required.
- ❑ Inspect seat belts, check webbing condition, buckle operation & retractor mechanism operation.

LPG* service items

- ❑ High pressure leak check of converter and lock-off.
- ❑ High pressure leak check of all service line connections.
- ❑ High pressure leak check of filler hose and valve.
- ❑ High pressure leak check of LPG cylinder connections.
- ❑ Check fuel selector operation.

Vehicle exterior

- ❑ Inspect operation of all exterior lights.
- ❑ Inspect transmitter range of remote control.
- ❑ Lubricate bonnet catch, hinges & all lock cylinders.

Road Test

- ❑ Inspect braking, steering, engine response & transmission operation.
- ❑ Inspect operation of cruise control.
- ❑ Inspect park pawl operation.
- ❑ Inspect air conditioner performance.
- ❑ Inspect neutral start switch.
- ❑ Check for any outstanding safety recalls.

SERVICE COUPON 60,000 km or 6 months

from the last service (whichever occurs first)

I authorise performance of the services specified on this coupon. I understand that I will be charged for the time, parts and lubricants as listed.

- 2.0 hours labour (HFV6)
- 2.4 hours labour (4JJ1-TC HI)
- add 0.8 hour for LPG*
- if 4WD add 0.4 hours
- engine oil and filter change
- replace fuel filter (4JJ1-TC HI)
- replace front hub bearing grease

There will also be a charge for additional services as required.

.....

.....

.....

Signature .....Date.....

Note If the owner of this vehicle has changed since the last service, refer to the change forms at the front of this booklet.

Under bonnet

- ❑ Replace engine oil & filter.
- ❑ Inspect oil leakage & contamination.
- ❑ Inspect fluid levels: brake, power steering, clutch, automatic transmission and washer. Check coolant % with tester and check level (pressure test if level low).
- ❑ Inspect idle speed & acceleration.
- ❑ Inspect all hoses & pipes in engine compartment for deterioration or leaks.
- ❑ Inspect front of radiator core & A/C condenser (clean as required).
- ❑ Replace fuel filter (4JJ1-TC HI).
- ❑ Inspect air filter element.
- ❑ Inspect accessory drive belt/s condition.

Service validation
60,000 kms or
6 months
Since last service
(which ever occurs first)

This vehicle has been thoroughly checked in accordance with the 60,000 km/6 month service.
Servicing Dealer ..... Additional services performed
Brake fluid changed: YES/NO Coolant changed: YES/NO .....
Clutch fluid changed: YES/NO/ N/A (not applicable) .....
Date of service..... Odometer.....
Signed .....

Under vehicle

- ❑ Inspect manual transmission oil level.
- ❑ Inspect transfer case oil level.
- ❑ Inspect shift on the fly system oil level.
- ❑ Inspect universal joints & splines for wear.
- ❑ Lubricate universal joints & sliding sleeve.
- ❑ Inspect differential oil level.
- ❑ Inspect exhaust system
- ❑ Inspect brake pads / discs & linings / drum wear.
- ❑ Inspect rear brake adjustment.
- ❑ Tighten wheel nuts.
- ❑ Replace front hub bearing grease.
- ❑ Inspect front & rear hub bearings for looseness.
- ❑ Inspect front axle shaft rubber boots for damage.
- ❑ Inspect axle housings/shafts - visual inspection for distortion or damage.
- ❑ Inspect tyres for wear or damage. (1) Rotate & balance wheels (if required). Check air pressures & for wheel damage.
- ❑ General under body check: steering & suspension* components (inc. shock absorbers, all rubber bushes & boots, ball joints, connections, leaf springs, coil springs, torsion bar, stabiliser bars, park brake cables, fuel system, exhaust system, brake system, bolts, nuts, hoses, pipes & check for leaks.

Vehicle interior

- ❑ Inspect clutch pedal travel & free play.
- ❑ Inspect brake pedal travel & free play.
- ❑ Inspect steering wheel free play.
- ❑ Inspect operation of wipers, switches & controls.
- ❑ Inspect park brake operation & adjust as required.
- ❑ Inspect seat belts, check webbing condition, buckle operation & retractor mechanism operation.

LPG* service items

- ❑ High pressure leak check of all service line connections.
- ❑ High pressure leak check of filler hose and valve.
- ❑ High pressure leak check of LPG cylinder connections.
- ❑ Check fuel selector operation.
- ❑ Replace LPG vapour filter and O'rings.

Vehicle exterior

- ❑ Inspect operation of all exterior lights.
- ❑ Inspect transmitter range of remote control.
- ❑ Lubricate bonnet catch, hinges & all lock cylinders.

Road Test

- ❑ Inspect braking, steering, engine response & transmission operation.
- ❑ Inspect operation of cruise control.
- ❑ Inspect park pawl operation.
- ❑ Inspect air conditioner performance.
- ❑ Inspect neutral start switch.
- ❑ Check for any outstanding safety recalls.

SERVICE COUPON 70,000 km or 6 months

from the last service (whichever occurs first)

I authorise performance of the services specified on this coupon. I understand that I will be charged for the time, parts and lubricants as listed.

- 1 hours labour
- add 0.4 hour for LPG*
- engine oil and filter change

There will also be a charge for additional services as required.

.....

.....

.....

Signature .....Date.....

Note If the owner of this vehicle has changed since the last service, refer to the change forms at the front of this booklet.

Under bonnet

- ❑ Replace engine oil & filter.
- ❑ Inspect oil leakage & contamination.
- ❑ Inspect fluid levels: brake, power steering, clutch, automatic transmission and washer. Check coolant % with tester and check level (pressure test if level low).
- ❑ Inspect idle speed & acceleration.
- ❑ Inspect all hoses & pipes in engine compartment for deterioration or leaks.
- ❑ Inspect air filter element.
- ❑ Inspect accessory drive belt/s condition.

Service validation
70,000 kms or
6 months
Since last service
(which ever occurs first)

This vehicle has been thoroughly checked in accordance with the 70,000 km/6 month service.
Servicing Dealer ..... Additional services performed
Brake fluid changed: YES/NO Coolant changed: YES/NO .....
Clutch fluid changed: YES/NO/ N/A (not applicable) .....
Date of service..... Odometer.....
Signed .....

Under vehicle

- ❑ Inspect manual transmission oil level.
- ❑ Inspect transfer case oil level.
- ❑ Inspect shift on the fly system oil level.
- ❑ Lubricate universal joints & sliding sleeve.
- ❑ Inspect differential oil level.
- ❑ Inspect exhaust system
- ❑ Inspect brake pads / discs & linings / drum wear.
- ❑ Inspect rear brake adjustment.
- ❑ Tighten wheel nuts.
- ❑ Inspect front & rear hub bearings for looseness.
- ❑ Inspect tyres for wear or damage. (1) Rotate & balance wheels (if required). Check air pressures & for wheel damage.
- ❑ General under body check: steering & suspension* components (inc. shock absorbers, all rubber bushes & boots, ball joints, connections, leaf springs, coil springs, torsion bar, stabiliser bars, park brake cables, fuel system, exhaust system, brake system, bolts, nuts, hoses, pipes & check for leaks.

Vehicle interior

- ❑ Inspect clutch pedal travel & free play.
- ❑ Inspect brake pedal travel & free play.
- ❑ Inspect steering wheel free play.
- ❑ Inspect operation of wipers, switches & controls.
- ❑ Inspect park brake operation & adjust as required.
- ❑ Inspect seat belts, check webbing condition, buckle operation & retractor mechanism operation.

LPG* service items

- ❑ High pressure leak check of converter and lock-off.
- ❑ High pressure leak check of all service line connections.
- ❑ High pressure leak check of filler hose and valve.
- ❑ High pressure leak check of LPG cylinder connections.
- ❑ Check fuel selector operation.

Vehicle exterior

- ❑ Inspect operation of all exterior lights.
- ❑ Inspect transmitter range of remote control.
- ❑ Lubricate bonnet catch, hinges & all lock cylinders.

Road Test

- ❑ Inspect braking, steering, engine response & transmission operation.
- ❑ Inspect operation of cruise control.
- ❑ Inspect park pawl operation.
- ❑ Inspect air conditioner performance.
- ❑ Inspect neutral start switch.
- ❑ Check for any outstanding safety recalls.

Service validation
80,000 kms or
6 months
Since last service
(which ever occurs first)

This vehicle has been thoroughly checked in accordance with the 80,000 km/6 month service.
Servicing Dealer ..... Additional services performed
Brake fluid changed: YES/NO Coolant changed: YES/NO .....
Clutch fluid changed: YES/NO/ N/A (not applicable) .....
Date of service..... Odometer .....
Signed .....

SERVICE COUPON 80,000 km or 6 months

from the last service (whichever occurs first)

I authorise performance of the services specified on this coupon. I understand that I will be charged for the time, parts and lubricants as listed.

- 2.6 hours labour (4JJ1-TC HI)
- 1.9 hours labour (HFV6)
- add 0.4 hour for LPG*
- if 4WD add 0.2 hours
- engine oil and filter change
- replace fuel filter (HFV6 & 4JJ1-TC HI)
- replace air filter element
- replace power steering fluid
- replace manual transmission oil
- replace differential gear oil
- if brake fluid changed add 0.4 hour plus brake fluid
- if clutch fluid changed add 0.2 hour plus clutch fluid

There will also be a charge for additional services as required.

.....

.....

.....

Signature .....Date.....

Note If the owner of this vehicle has changed since the last service, refer to the change forms at the front of this booklet.

Under bonnet

- ❑ Replace engine oil & filter.
- ❑ Inspect oil leakage & contamination.
- ❑ Inspect fluid levels: brake, power steering, clutch, automatic transmission and washer. Check coolant % with tester and check level (pressure test if level low).
- ❑ Inspect idle speed & acceleration.
- ❑ Inspect all hoses & pipes in engine compartment for deterioration or leaks.
- ❑ Inspect front of radiator core & A/C condenser (clean as required).
- ❑ Replace fuel filter (HFV6 & 4JJ1-TC HI).
- ❑ Replace air filter element.
- ❑ Inspect accessory drive belt/s condition.
- ❑ Adjust valve clearances (4JJ1-TC HI).
- ❑ Replace power steering fluid.
- ❑ Clutch fluid: Change every 2 years (regardless of km).
- ❑ Brake fluid: Change every 2 years (regardless of km).

Under vehicle

- ❑ Replace manual transmission oil.
- ❑ Inspect transfer case oil level.
- ❑ Inspect shift on the fly system oil level.
- ❑ Inspect universal joints & splines for wear.
- ❑ Lubricate universal joints & sliding sleeve.
- ❑ Replace differential oil.
- ❑ Inspect exhaust system
- ❑ Inspect brake pads / discs & linings / drum wear.
- ❑ Inspect rear brake adjustment.
- ❑ Tighten wheel nuts.
- ❑ Inspect front & rear hub bearings for looseness.
- ❑ Inspect front axle shaft rubber boots for damage.
- ❑ Inspect axle housings/shafts - visual inspection for distortion or damage.
- ❑ Inspect tyres for wear or damage. (1) Rotate & balance wheels (if required). Check air pressures & for wheel damage.
- ❑ General under body check: steering & suspension* components (inc. shock absorbers, all rubber bushes & boots, ball joints, connections, leaf springs, coil springs, torsion bar, stabiliser bars, park brake cables, fuel system, exhaust system, brake system, bolts, nuts, hoses, pipes & check for leaks.

Vehicle interior

- ❑ Inspect clutch pedal travel & free play.
- ❑ Inspect brake pedal travel & free play.
- ❑ Inspect steering wheel free play.
- ❑ Inspect operation of wipers, switches & controls.
- ❑ Inspect park brake operation & adjust as required.
- ❑ Inspect seat belts, check webbing condition, buckle operation & retractor mechanism operation.

LPG* service items

- ❑ High pressure leak check of converter and lock-off.
- ❑ High pressure leak check of all service line connections.
- ❑ High pressure leak check of filler hose and valve.
- ❑ High pressure leak check of LPG cylinder connections.
- ❑ Check fuel selector operation.

Vehicle exterior

- ❑ Inspect operation of all exterior lights.
- ❑ Inspect transmitter range of remote control.
- ❑ Lubricate bonnet catch, hinges & all lock cylinders.

Road Test

- ❑ Inspect braking, steering, engine response & transmission operation.
- ❑ Inspect operation of cruise control.
- ❑ Inspect park pawl operation.
- ❑ Inspect air conditioner performance.
- ❑ Inspect neutral start switch.
- ❑ Check for any outstanding safety recalls.

SERVICE COUPON ***90,000 km or 6 months***

from the last service (whichever occurs first)

I authorise performance of the services specified on this coupon. I understand that I will be charged for the time, parts and lubricants as listed.

- 1.9 hours labour (4JJ1-TC HI & HFV6)
- add 0.8 hour for LPG*
- if 4WD add 0.4 hours
- engine oil and filter change
- replace front hub bearing grease

There will also be a charge for additional services as required.

.....

.....

.....

Signature .....Date.....

Note If the owner of this vehicle has changed since the last service, refer to the change forms at the front of this booklet.

Under bonnet

- ❑ Replace engine oil & filter.
- ❑ Inspect oil leakage & contamination.
- ❑ Inspect fluid levels: brake, power steering, clutch, automatic transmission and washer. Check coolant % with tester and check level (pressure test if level low).
- ❑ Inspect idle speed & acceleration.
- ❑ Inspect all hoses & pipes in engine compartment for deterioration or leaks.
- ❑ Inspect air filter element.
- ❑ Inspect accessory drive belt/s condition.

Service validation
90,000 kms or
6 months
Since last service
(which ever occurs first)

This vehicle has been thoroughly checked in accordance with the 90,000 km/6 month service.
Servicing Dealer ..... Additional services performed
Brake fluid changed: YES/NO Coolant changed: YES/NO .....
Clutch fluid changed: YES/NO/ N/A (not applicable) .....
Date of service..... Odometer.....
Signed .....

Under vehicle

- ❑ Inspect manual transmission oil level.
- ❑ Inspect transfer case oil level.
- ❑ Inspect shift on the fly system oil level.
- ❑ Lubricate universal joints & sliding sleeve.
- ❑ Inspect differential oil level.
- ❑ Inspect exhaust system
- ❑ Inspect brake pads / discs & linings / drum wear.
- ❑ Inspect rear brake adjustment.
- ❑ Tighten wheel nuts.
- ❑ Replace front hub bearing grease.
- ❑ Inspect front & rear hub bearings for looseness.
- ❑ Inspect tyres for wear or damage. (1) Rotate & balance wheels (if required). Check air pressures & for wheel damage.
- ❑ General under body check: steering & suspension* components (inc. shock absorbers, all rubber bushes & boots, ball joints, connections, leaf springs, coil springs, torsion bar, stabiliser bars, park brake cables, fuel system, exhaust system, brake system, bolts, nuts, hoses, pipes & check for leaks.

Vehicle interior

- ❑ Inspect clutch pedal travel & free play.
- ❑ Inspect brake pedal travel & free play.
- ❑ Inspect steering wheel free play.
- ❑ Inspect operation of wipers, switches & controls.
- ❑ Inspect park brake operation & adjust as required.
- ❑ Inspect seat belts, check webbing condition, buckle operation & retractor mechanism operation.

LPG* service items

- ❑ High pressure leak check of all service line connections.
- ❑ High pressure leak check of filler hose and valve.
- ❑ High pressure leak check of LPG cylinder connections.
- ❑ Check fuel selector operation.
- ❑ Replace LPG vapour filter and O'rings.

Vehicle exterior

- ❑ Inspect operation of all exterior lights.
- ❑ Inspect transmitter range of remote control.
- ❑ Lubricate bonnet catch, hinges & all lock cylinders.

Road Test

- ❑ Inspect braking, steering, engine response & transmission operation.
- ❑ Inspect operation of cruise control.
- ❑ Inspect park pawl operation.
- ❑ Inspect air conditioner performance.
- ❑ Inspect neutral start switch.
- ❑ Check for any outstanding safety recalls.

Service validation
100,000 kms or
6 months
Since last service
(which ever occurs first)

This vehicle has been thoroughly checked in accordance with the 100,000 km/6 month service.
Servicing Dealer ..... Additional services performed
Brake fluid changed: YES/NO Coolant changed: YES/NO .....
Clutch fluid changed: YES/NO/ N/A (not applicable) .....
Date of service..... Odometer.....
Signed .....

SERVICE COUPON 100,000 km or 6 months

from the last service (whichever occurs first)

I authorise performance of the services specified on this coupon. I understand that I will be charged for the time, parts and lubricants as listed.

- 2.2 hours labour (HFV6)
- 2.0 hours labour (4JJ1-TC HI)
- add 1.5 hours for LPG*
- engine oil and filter change
- replace fuel filter (4JJ1-TC HI)
- replace accessory drive belt (HFV6)
- replace automatic transmission fluid (HFV6)
- if engine coolant changed add 0.4 hour plus coolant

There will also be a charge for additional services as required.

.....

.....

.....

Signature .....Date.....

Note If the owner of this vehicle has changed since the last service, refer to the change forms at the front of this booklet.

Under bonnet

- ❑ Replace engine oil & filter.
- ❑ Inspect oil leakage & contamination.
- ❑ Inspect fluid levels: brake, power steering, clutch, automatic transmission and washer. Check coolant % with tester and check level (pressure test if level low).
- ❑ Inspect idle speed & acceleration.
- ❑ Inspect all hoses & pipes in engine compartment for deterioration or leaks.
- ❑ Inspect front of radiator core & A/C condenser (clean as required).
- ❑ Replace fuel filter (4JJ1-TC HI).
- ❑ Inspect air filter element.
- ❑ Inspect accessory drive belt/s condition.
- ❑ Replace accessory drive belt (HFV6).
- ❑ Replace automatic transmission fluid (HFV6).

- ❑ Coolant: Change every 5 years (regardless of km).

Under vehicle

- ❑ Inspect manual transmission oil level.
- ❑ Inspect transfer case oil level.
- ❑ Inspect shift on the fly system oil level.
- ❑ Inspect universal joints & splines for wear.
- ❑ Lubricate universal joints & sliding sleeve.
- ❑ Inspect differential oil level.
- ❑ Inspect exhaust system
- ❑ Inspect brake pads / discs & linings / drum wear.
- ❑ Inspect rear brake adjustment.
- ❑ Tighten wheel nuts.
- ❑ Inspect front & rear hub bearings for looseness.
- ❑ Inspect front axle shaft rubber boots for damage.
- ❑ Inspect axle housings/shafts - visual inspection for distortion or damage.
- ❑ Inspect tyres for wear or damage. (1) Rotate & balance wheels (if required). Check air pressures & for wheel damage.
- ❑ General under body check: steering & suspension* components (inc. shock absorbers, all rubber bushes & boots, ball joints, connections, leaf springs, coil springs, torsion bar, stabiliser bars, park brake cables, fuel system, exhaust system, brake system, bolts, nuts, hoses, pipes & check for leaks.

Vehicle interior

- ❑ Inspect clutch pedal travel & free play.
- ❑ Inspect brake pedal travel & free play.
- ❑ Inspect steering wheel free play.
- ❑ Inspect operation of wipers, switches & controls.
- ❑ Inspect park brake operation & adjust as required.
- ❑ Inspect seat belts, check webbing condition, buckle operation & retractor mechanism operation.

LPG* service items

- ❑ High pressure leak check of converter and lock-off.
- ❑ High pressure leak check of all service line connections.
- ❑ High pressure leak check of filler hose and valve.
- ❑ High pressure leak check of LPG cylinder connections.
- ❑ Check fuel selector operation.
- ❑ Overhaul convertor.

Vehicle exterior

- ❑ Inspect operation of all exterior lights.
- ❑ Inspect transmitter range of remote control.
- ❑ Lubricate bonnet catch, hinges & all lock cylinders.

Road Test

- ❑ Inspect braking, steering, engine response & transmission operation.
- ❑ Inspect operation of cruise control.
- ❑ Inspect park pawl operation.
- ❑ Inspect air conditioner performance.
- ❑ Inspect neutral start switch.
- ❑ Check for any outstanding safety recalls.

SERVICE COUPON 110,000 km or 6 months

from the last service (whichever occurs first)

I authorise performance of the services specified on this coupon. I understand that I will be charged for the time, parts and lubricants as listed.

- 1 hours labour
- add 0.4 hour for LPG*
- engine oil and filter change

There will also be a charge for additional services as required.

.....

.....

.....

Signature .....Date.....

Note If the owner of this vehicle has changed since the last service, refer to the change forms at the front of this booklet.

Under bonnet

- ❑ Replace engine oil & filter.
- ❑ Inspect oil leakage & contamination.
- ❑ Inspect fluid levels: brake, power steering, clutch, automatic transmission and washer. Check coolant % with tester and check level (pressure test if level low).
- ❑ Inspect idle speed & acceleration.
- ❑ Inspect all hoses & pipes in engine compartment for deterioration or leaks.
- ❑ Inspect air filter element.
- ❑ Inspect accessory drive belt/s condition.

Service validation
110,000 kms or
6 months
Since last service
(which ever occurs first)

This vehicle has been thoroughly checked in accordance with the 110,000 km/6 month service.
Servicing Dealer ..... Additional services performed
Brake fluid changed: YES/NO Coolant changed: YES/NO .....
Clutch fluid changed: YES/NO/ N/A (not applicable) .....
Date of service..... Odometer.....
Signed .....

Under vehicle

- ❑ Inspect manual transmission oil level.
- ❑ Inspect transfer case oil level.
- ❑ Inspect shift on the fly system oil level.
- ❑ Lubricate universal joints & sliding sleeve.
- ❑ Inspect differential oil level.
- ❑ Inspect exhaust system
- ❑ Inspect brake pads / discs & linings / drum wear.
- ❑ Inspect rear brake adjustment.
- ❑ Tighten wheel nuts.
- ❑ Inspect front & rear hub bearings for looseness.
- ❑ Inspect tyres for wear or damage. (1) Rotate & balance wheels (if required). Check air pressures & for wheel damage.
- ❑ General under body check: steering & suspension* components (inc. shock absorbers, all rubber bushes & boots, ball joints, connections, leaf springs, coil springs, torsion bar, stabiliser bars, park brake cables, fuel system, exhaust system, brake system, bolts, nuts, hoses, pipes & check for leaks.

Vehicle interior

- ❑ Inspect clutch pedal travel & free play.
- ❑ Inspect brake pedal travel & free play.
- ❑ Inspect steering wheel free play.
- ❑ Inspect operation of wipers, switches & controls.
- ❑ Inspect park brake operation & adjust as required.
- ❑ Inspect seat belts, check webbing condition, buckle operation & retractor mechanism operation.

LPG* service items

- ❑ High pressure leak check of converter and lock-off.
- ❑ High pressure leak check of all service line connections.
- ❑ High pressure leak check of filler hose and valve.
- ❑ High pressure leak check of LPG cylinder connections.
- ❑ Check fuel selector operation.

Vehicle exterior

- ❑ Inspect operation of all exterior lights.
- ❑ Inspect transmitter range of remote control.
- ❑ Lubricate bonnet catch, hinges & all lock cylinders.

Road Test

- ❑ Inspect braking, steering, engine response & transmission operation.
- ❑ Inspect operation of cruise control.
- ❑ Inspect park pawl operation.
- ❑ Inspect air conditioner performance.
- ❑ Inspect neutral start switch.
- ❑ Check for any outstanding safety recalls.

SERVICE COUPON 120,000 km or 6 months

from the last service (whichever occurs first)

I authorise performance of the services specified on this coupon. I understand that I will be charged for the time, parts and lubricants as listed.

- 3.2 hours labour (HFV6)
- 3.0 hours labour (4JJ1-TC HI)
- add 1.0 hour for LPG*
- if 4WD add 0.4 hours
- engine oil and filter change
- replace fuel filter (HFV6 & 4JJ1-TC HI)
- replace air filter element
- replace spark plugs (HFV6)
- replace power steering fluid
- replace manual transmission oil
- replace differential gear oil
- replace front hub bearing grease
- if brake fluid changed add 0.4 hour plus brake fluid
- if clutch fluid changed add 0.2 hour plus clutch fluid

There will also be a charge for additional services as required.

.....

.....

.....

Signature .....Date.....

Note If the owner of this vehicle has changed since the last service, refer to the change forms at the front of this booklet.

Under bonnet

- ❑ Replace engine oil & filter.
- ❑ Inspect oil leakage & contamination.
- ❑ Inspect fluid levels: brake, power steering, clutch, automatic transmission and washer. Check coolant % with tester and check level (pressure test if level low).
- ❑ Inspect idle speed & acceleration.
- ❑ Inspect all hoses & pipes in engine compartment for deterioration or leaks.
- ❑ Inspect front of radiator core & A/C condenser (clean as required).
- ❑ Replace fuel filter (HFV6 & 4JJ1-TC HI).
- ❑ Replace air filter element.
- ❑ Inspect accessory drive belt/s condition.
- ❑ Adjust valve clearances (4JJ1-TC HI).
- ❑ Replace spark plugs (HFV6).
- ❑ Replace power steering fluid.

- ❑ Clutch fluid: Change every 2 years (regardless of km).
- ❑ Brake fluid: Change every 2 years (regardless of km)

Service validation
120,000 kms or
6 months
Since last service
(which ever occurs first)

This vehicle has been thoroughly checked in accordance with the 120,000 km/6 month service.
Servicing Dealer ..... Additional services performed
Brake fluid changed: YES/NO Coolant changed: YES/NO .....
Clutch fluid changed: YES/NO/ N/A (not applicable) .....
Date of service..... Odometer.....
Signed .....

Under vehicle

- ❑ Replace manual transmission oil.
- ❑ Inspect transfer case oil level.
- ❑ Inspect shift on the fly system oil level.
- ❑ Inspect universal joints & splines for wear.
- ❑ Lubricate universal joints & sliding sleeve.
- ❑ Replace differential oil.
- ❑ Inspect exhaust system
- ❑ Inspect brake pads / discs & linings / drum wear.
- ❑ Inspect rear brake adjustment.
- ❑ Tighten wheel nuts.
- ❑ Replace front hub bearing grease.
- ❑ Inspect front & rear hub bearings for looseness.
- ❑ Inspect front axle shaft rubber boots for damage.
- ❑ Inspect axle housings/shafts - visual inspection for distortion or damage.
- ❑ Inspect tyres for wear or damage. (1) Rotate & balance wheels (if required). Check air pressures & for wheel damage.
- ❑ General under body check: steering & suspension* components (inc. shock absorbers, all rubber bushes & boots, ball joints, connections, leaf springs, coil springs, torsion bar, stabiliser bars, park brake cables, fuel system, exhaust system, brake system, bolts, nuts, hoses, pipes & check for leaks.

Vehicle interior

- ❑ Inspect clutch pedal travel & free play.
- ❑ Inspect brake pedal travel & free play.
- ❑ Inspect steering wheel free play.
- ❑ Inspect operation of wipers, switches & controls.
- ❑ Inspect park brake operation & adjust as required.
- ❑ Inspect seat belts, check webbing condition, buckle operation & retractor mechanism operation.

LPG* service items

- ❑ High pressure leak check of all service line connections.
- ❑ High pressure leak check of filler hose and valve.
- ❑ High pressure leak check of LPG cylinder connections.
- ❑ Check fuel selector operation.
- ❑ Replace LPG vapour filter and O'rings.
- ❑ Inspect and sevice the front LPG solenoid valve. **Note** the front LPG liquid is in the front LPG solenoid valve. Replace the O'rings and filter element.

Vehicle exterior

- ❑ Inspect operation of all exterior lights.
- ❑ Inspect transmitter range of remote control.
- ❑ Lubricate bonnet catch, hinges & all lock cylinders.

Road Test

- ❑ Inspect braking, steering, engine response & transmission operation.
- ❑ Inspect operation of cruise control.
- ❑ Inspect park pawl operation.
- ❑ Inspect air conditioner performance.
- ❑ Inspect neutral start switch.
- ❑ Check for any outstanding safety recalls.

SERVICE COUPON 130,000 km or 6 months

from the last service (whichever occurs first)

I authorise performance of the services specified on this coupon. I understand that I will be charged for the time, parts and lubricants as listed.

- 1 hours labour
- add 0.7 hour for LPG*
- engine oil and filter change

There will also be a charge for additional services as required.

.....

.....

.....

Signature .....Date.....

Note If the owner of this vehicle has changed since the last service, refer to the change forms at the front of this booklet.

Under bonnet

- ❑ Replace engine oil & filter.
- ❑ Inspect oil leakage & contamination.
- ❑ Inspect fluid levels: brake, power steering, clutch, automatic transmission and washer. Check coolant % with tester and check level (pressure test if level low).
- ❑ Inspect idle speed & acceleration.
- ❑ Inspect all hoses & pipes in engine compartment for deterioration or leaks.
- ❑ Inspect air filter element.
- ❑ Inspect accessory drive belt/s condition.

Service validation
130,000 kms or
6 months
Since last service
(which ever occurs first)

This vehicle has been thoroughly checked in accordance with the 130,000 km/6 month service.
Servicing Dealer ..... Additional services performed
Brake fluid changed: YES/NO Coolant changed: YES/NO .....
Clutch fluid changed: YES/NO/ N/A (not applicable) .....
Date of service..... Odometer.....
Signed .....

Under vehicle

- ❑ Inspect manual transmission oil level.
- ❑ Inspect transfer case oil level.
- ❑ Inspect shift on the fly system oil level.
- ❑ Lubricate universal joints & sliding sleeve.
- ❑ Inspect differential oil level.
- ❑ Inspect exhaust system
- ❑ Inspect brake pads / discs & linings / drum wear.
- ❑ Inspect rear brake adjustment.
- ❑ Tighten wheel nuts.
- ❑ Inspect front & rear hub bearings for looseness.
- ❑ Inspect tyres for wear or damage. (1) Rotate & balance wheels (if required). Check air pressures & for wheel damage.
- ❑ General under body check: steering & suspension* components (inc. shock absorbers, all rubber bushes & boots, ball joints, connections, leaf springs, coil springs, torsion bar, stabiliser bars, park brake cables, fuel system, exhaust system, brake system, bolts, nuts, hoses, pipes & check for leaks.

Vehicle interior

- ❑ Inspect clutch pedal travel & free play.
- ❑ Inspect brake pedal travel & free play.
- ❑ Inspect steering wheel free play.
- ❑ Inspect operation of wipers, switches & controls.
- ❑ Inspect park brake operation & adjust as required.
- ❑ Inspect seat belts, check webbing condition, buckle operation & retractor mechanism operation.

LPG* service items

- ❑ High pressure leak check of converter and lock-off.
- ❑ High pressure leak check of all service line connections.
- ❑ High pressure leak check of filler hose and valve.
- ❑ High pressure leak check of LPG cylinder connections.
- ❑ Check fuel selector operation.
- ❑ Check torque of convertor bolts.

Vehicle exterior

- ❑ Inspect operation of all exterior lights.
- ❑ Inspect transmitter range of remote control.
- ❑ Lubricate bonnet catch, hinges & all lock cylinders.

Road Test

- ❑ Inspect braking, steering, engine response & transmission operation.
- ❑ Inspect operation of cruise control.
- ❑ Inspect park pawl operation.
- ❑ Inspect air conditioner performance.
- ❑ Inspect neutral start switch.
- ❑ Check for any outstanding safety recalls.

SERVICE COUPON 140,000 km or 6 months

from the last service (whichever occurs first)

I authorise performance of the services specified on this coupon. I understand that I will be charged for the time, parts and lubricants as listed.

- 1.3 hours labour (HFV6)
- 1.6 hours labour (4JJ1-TC HI)
- add 0.4 hour for LPG*
- engine oil and filter change
- replace fuel filter (4JJ1-TC HI)

There will also be a charge for additional services as required.

.....

.....

.....

Signature .....Date.....

Note If the owner of this vehicle has changed since the last service, refer to the change forms at the front of this booklet.

Under bonnet

- ❑ Replace engine oil & filter.
- ❑ Inspect oil leakage & contamination.
- ❑ Inspect fluid levels: brake, power steering, clutch, automatic transmission and washer. Check coolant % with tester and check level (pressure test if level low).
- ❑ Inspect idle speed & acceleration.
- ❑ Inspect all hoses & pipes in engine compartment for deterioration or leaks.
- ❑ Inspect front of radiator core & A/C condenser (clean as required).
- ❑ Replace fuel filter (4JJ1-TC HI).
- ❑ Inspect air filter element.
- ❑ Inspect accessory drive belt/s condition.

Service validation
140,000 kms or
6 months
Since last service
(which ever occurs first)

This vehicle has been thoroughly checked in accordance with the 140,000 km/6 month service.
Servicing Dealer ..... Additional services performed
Brake fluid changed: YES/NO Coolant changed: YES/NO .....
Clutch fluid changed: YES/NO/ N/A (not applicable) .....
Date of service..... Odometer.....
Signed .....

Under vehicle

- ❑ Inspect manual transmission oil level.
- ❑ Inspect transfer case oil level.
- ❑ Inspect shift on the fly system oil level.
- ❑ Inspect universal joints & splines for wear.
- ❑ Lubricate universal joints & sliding sleeve.
- ❑ Inspect differential oil level.
- ❑ Inspect exhaust system
- ❑ Inspect brake pads / discs & linings / drum wear.
- ❑ Inspect rear brake adjustment.
- ❑ Tighten wheel nuts.
- ❑ Inspect front & rear hub bearings for looseness.
- ❑ Inspect front axle shaft rubber boots for damage.
- ❑ Inspect axle housings - visual inspection for distortion or damage.
- ❑ Inspect tyres for wear or damage. (1) Rotate & balance wheels (if required). Check air pressures & for wheel damage.
- ❑ General under body check: steering & suspension* components (inc. shock absorbers, all rubber bushes & boots, ball joints, connections, leaf springs, coil springs, torsion bar, stabiliser bars, park brake cables, fuel system, exhaust system, brake system, bolts, nuts, hoses, pipes & check for leaks.

Vehicle interior

- ❑ Inspect clutch pedal travel & free play.
- ❑ Inspect brake pedal travel & free play.
- ❑ Inspect steering wheel free play.
- ❑ Inspect operation of wipers, switches & controls.
- ❑ Inspect park brake operation & adjust as required.
- ❑ Inspect seat belts, check webbing condition, buckle operation & retractor mechanism operation.

LPG* service items

- ❑ High pressure leak check of converter and lock-off.
- ❑ High pressure leak check of all service line connections.
- ❑ High pressure leak check of filler hose and valve.
- ❑ High pressure leak check of LPG cylinder connections.
- ❑ Check fuel selector operation.

Vehicle exterior

- ❑ Inspect operation of all exterior lights.
- ❑ Inspect transmitter range of remote control.
- ❑ Lubricate bonnet catch, hinges & all lock cylinders.

Road Test

- ❑ Inspect braking, steering, engine response & transmission operation.
- ❑ Inspect operation of cruise control.
- ❑ Inspect park pawl operation.
- ❑ Inspect air conditioner performance.
- ❑ Inspect neutral start switch.
- ❑ Check for any outstanding safety recalls.

***SERVICE COUPON** 150,000 km or 6 months*

from the last service (whichever occurs first)

I authorise performance of the services specified on this coupon. I understand that I will be charged for the time, parts and lubricants as listed.

- 1.9 hours labour (HFV6 & 4JJ1-TC HI)
- add 0.8 hour for LPG*
- if 4WD add 0.4 hours
- engine oil and filter change
- replace front hub bearing grease

There will also be a charge for additional services as required.

.....

.....

.....

Signature .....Date.....

Note If the owner of this vehicle has changed since the last service, refer to the change forms at the front of this booklet.

Under bonnet

- ❑ Replace engine oil & filter.
- ❑ Inspect oil leakage & contamination.
- ❑ Inspect fluid levels: brake, power steering, clutch, automatic transmission and washer. Check coolant % with tester and check level (pressure test if level low).
- ❑ Inspect idle speed & acceleration.
- ❑ Inspect all hoses & pipes in engine compartment for deterioration or leaks.
- ❑ Inspect air filter element.
- ❑ Inspect accessory drive belt/s condition.

Service validation
150,000 kms or
6 months
Since last service
(which ever occurs first)

This vehicle has been thoroughly checked in accordance with the 150,000 km/6 month service.
Servicing Dealer ..... Additional services performed
Brake fluid changed: YES/NO Coolant changed: YES/NO .....
Clutch fluid changed: YES/NO/ N/A (not applicable) .....
Date of service..... Odometer.....
Signed .....

Under vehicle

- ❑ Inspect manual transmission oil level.
- ❑ Inspect transfer case oil level.
- ❑ Inspect shift on the fly system oil level.
- ❑ Lubricate universal joints & sliding sleeve.
- ❑ Inspect differential oil level.
- ❑ Inspect exhaust system
- ❑ Inspect brake pads / discs & linings / drum wear.
- ❑ Inspect rear brake adjustment.
- ❑ Tighten wheel nuts.
- ❑ Replace front hub bearing grease.
- ❑ Inspect front & rear hub bearings for looseness.
- ❑ Inspect tyres for wear or damage. (1) Rotate & balance wheels (if required). Check air pressures & for wheel damage.
- ❑ General under body check: steering & suspension* components (inc. shock absorbers, all rubber bushes & boots, ball joints, connections, leaf springs, coil springs, torsion bar, stabiliser bars, park brake cables, fuel system, exhaust system, brake system, bolts, nuts, hoses, pipes & check for leaks.

Vehicle interior

- ❑ Inspect clutch pedal travel & free play.
- ❑ Inspect brake pedal travel & free play.
- ❑ Inspect steering wheel free play.
- ❑ Inspect operation of wipers, switches & controls.
- ❑ Inspect park brake operation & adjust as required.
- ❑ Inspect seat belts, check webbing condition, buckle operation & retractor mechanism operation.

LPG* service items

- ❑ High pressure leak check of all service line connections.
- ❑ High pressure leak check of filler hose and valve.
- ❑ High pressure leak check of LPG cylinder connections.
- ❑ Check fuel selector operation.
- ❑ Replace LPG vapour filter and O'rings.

Vehicle exterior

- ❑ Inspect operation of all exterior lights.
- ❑ Inspect transmitter range of remote control.
- ❑ Lubricate bonnet catch, hinges & all lock cylinders.

Road Test

- ❑ Inspect braking, steering, engine response & transmission operation.
- ❑ Inspect operation of cruise control.
- ❑ Inspect park pawl operation.
- ❑ Inspect air conditioner performance.
- ❑ Inspect neutral start switch.
- ❑ Check for any outstanding safety recalls.

Service validation
160,000 kms or
6 months
Since last service
(which ever occurs first)

This vehicle has been thoroughly checked in accordance with the 160,000 km/6 month service.
Servicing Dealer ..... Additional services performed
Brake fluid changed: YES/NO Coolant changed: YES/NO .....
Clutch fluid changed: YES/NO/ N/A (not applicable) .....
Date of service..... Odometer.....
Signed .....

SERVICE COUPON 160,000 km or 6 months

from the last service (whichever occurs first)

I authorise performance of the services specified on this coupon. I understand that I will be charged for the time, parts and lubricants as listed.

- 2.6 hours labour (4JJ1-TC HI)
- 1.9 hours labour (HFV6)
- add 0.4 hour for LPG*
- if 4WD add 0.2 hours
- engine oil and filter change
- replace fuel filter (HFV6 & 4JJ1-TC HI)
- replace air filter element
- replace power steering fluid
- replace manual transmission oil
- replace differential gear oil
- if brake fluid changed add 0.4 hour plus brake fluid
- if clutch fluid changed add 0.2 hour plus clutch fluid

There will also be a charge for additional services as required.

.....

.....

.....

Signature .....Date.....

Note If the owner of this vehicle has changed since the last service, refer to the change forms at the front of this booklet.

Under bonnet

- ❑ Replace engine oil & filter.
- ❑ Inspect oil leakage & contamination.
- ❑ Inspect fluid levels: brake, power steering, clutch, automatic transmission and washer. Check coolant % with tester and check level (pressure test if level low).
- ❑ Inspect idle speed & acceleration.
- ❑ Inspect all hoses & pipes in engine compartment for deterioration or leaks.
- ❑ Inspect front of radiator core & A/C condenser (clean as required).
- ❑ Replace fuel filter (HFV6 & 4JJ1-TC HI).
- ❑ Replace air filter element.
- ❑ Inspect accessory drive belt/s condition.
- ❑ Adjust valve clearances (4JJ1-TC HI).
- ❑ Replace power steering fluid.
- ❑ Clutch fluid: Change every 2 years (regardless of km).
- ❑ Brake fluid: Change every 2 years (regardless of km).

Under vehicle

- ❑ Replace manual transmission oil.
- ❑ Inspect transfer case oil level.
- ❑ Inspect shift on the fly system oil level.
- ❑ Inspect universal joints & splines for wear.
- ❑ Lubricate universal joints & sliding sleeve.
- ❑ Replace differential oil.
- ❑ Inspect exhaust system
- ❑ Inspect brake pads / discs & linings / drum wear.
- ❑ Inspect rear brake adjustment.
- ❑ Tighten wheel nuts.
- ❑ Inspect front & rear hub bearings for looseness.
- ❑ Inspect front axle shaft rubber boots for damage.
- ❑ Inspect axle housings/shafts - visual inspection for distortion or damage.
- ❑ Inspect tyres for wear or damage. (1) Rotate & balance wheels (if required). Check air pressures & for wheel damage.
- ❑ General under body check: steering & suspension* components (inc. shock absorbers, all rubber bushes & boots, ball joints, connections, leaf springs, coil springs, torsion bar, stabiliser bars, park brake cables, fuel system, exhaust system, brake system, bolts, nuts, hoses, pipes & check for leaks.

Vehicle interior

- ❑ Inspect clutch pedal travel & free play.
- ❑ Inspect brake pedal travel & free play.
- ❑ Inspect steering wheel free play.
- ❑ Inspect operation of wipers, switches & controls.
- ❑ Inspect park brake operation & adjust as required.
- ❑ Inspect seat belts, check webbing condition, buckle operation & retractor mechanism operation.

LPG* service items

- ❑ High pressure leak check of converter and lock-off.
- ❑ High pressure leak check of all service line connections.
- ❑ High pressure leak check of filler hose and valve.
- ❑ High pressure leak check of LPG cylinder connections.
- ❑ Check fuel selector operation.

Vehicle exterior

- ❑ Inspect operation of all exterior lights.
- ❑ Inspect transmitter range of remote control.
- ❑ Lubricate bonnet catch, hinges & all lock cylinders.

Road Test

- ❑ Inspect braking, steering, engine response & transmission operation.
- ❑ Inspect operation of cruise control.
- ❑ Inspect park pawl operation.
- ❑ Inspect air conditioner performance.
- ❑ Inspect neutral start switch.
- ❑ Check for any outstanding safety recalls.

SERVICE COUPON 170,000 km or 6 months

from the last service (whichever occurs first)

I authorise performance of the services specified on this coupon. I understand that I will be charged for the time, parts and lubricants as listed.

- 1.2 hours labour (HFV6)
- 1.4 hours labour (4JJ1-TC HI)
- add 0.4 hour for LPG*
- engine oil and filter change

There will also be a charge for additional services as required.

.....

.....

.....

Signature .....Date.....

Note If the owner of this vehicle has changed since the last service, refer to the change forms at the front of this booklet.

Under bonnet

- ❑ Replace engine oil & filter.
- ❑ Inspect oil leakage & contamination.
- ❑ Inspect fluid levels: brake, power steering, clutch, automatic transmission and washer. Check coolant % with tester and check level (pressure test if level low).
- ❑ Inspect idle speed & acceleration.
- ❑ Inspect all hoses & pipes in engine compartment for deterioration or leaks.
- ❑ Inspect air filter element.
- ❑ Inspect accessory drive belt/s condition.

Service validation
170,000 kms or
6 months
Since last service
(which ever occurs first)

This vehicle has been thoroughly checked in accordance with the 170,000 km/6 month service.
Servicing Dealer ..... Additional services performed
Brake fluid changed: YES/NO Coolant changed: YES/NO .....
Clutch fluid changed: YES/NO/ N/A (not applicable) .....
Date of service..... Odometer.....
Signed .....

Under vehicle

- ❑ Inspect manual transmission oil level.
- ❑ Inspect transfer case oil level.
- ❑ Inspect shift on the fly system oil level.
- ❑ Lubricate universal joints & sliding sleeve.
- ❑ Inspect differential oil level.
- ❑ Inspect exhaust system
- ❑ Inspect brake pads / discs & linings / drum wear.
- ❑ Inspect rear brake adjustment.
- ❑ Tighten wheel nuts.
- ❑ Inspect front & rear hub bearings for looseness.
- ❑ Inspect tyres for wear or damage. (1) Rotate & balance wheels (if required). Check air pressures & for wheel damage.
- ❑ General under body check: steering & suspension* components (inc. shock absorbers, all rubber bushes & boots, ball joints, connections, leaf springs, coil springs, torsion bar, stabiliser bars, park brake cables, fuel system, exhaust system, brake system, bolts, nuts, hoses, pipes & check for leaks.

Vehicle interior

- ❑ Inspect clutch pedal travel & free play.
- ❑ Inspect brake pedal travel & free play.
- ❑ Inspect steering wheel free play.
- ❑ Inspect operation of wipers, switches & controls.
- ❑ Inspect park brake operation & adjust as required.
- ❑ Inspect seat belts, check webbing condition, buckle operation & retractor mechanism operation.

LPG* service items

- ❑ High pressure leak check of converter and lock-off.
- ❑ High pressure leak check of all service line connections.
- ❑ High pressure leak check of filler hose and valve.
- ❑ High pressure leak check of LPG cylinder connections.
- ❑ Check fuel selector operation.

Vehicle exterior

- ❑ Inspect operation of all exterior lights.
- ❑ Inspect transmitter range of remote control.
- ❑ Lubricate bonnet catch, hinges & all lock cylinders.

Road Test

- ❑ Inspect braking, steering, engine response & transmission operation.
- ❑ Inspect operation of cruise control.
- ❑ Inspect park pawl operation.
- ❑ Inspect air conditioner performance.
- ❑ Inspect neutral start switch.
- ❑ Check for any outstanding safety recalls.

SERVICE COUPON 180,000 km or 6 months

from the last service (whichever occurs first)

I authorise performance of the services specified on this coupon. I understand that I will be charged for the time, parts and lubricants as listed.

- 2.0 hours labour (HFV6)
- 2.4 hours labour (4JJ1-TC HI)
- add 0.8 hour for LPG*
- if 4WD add 0.4 hours
- engine oil and filter change
- replace fuel filter (4JJ1-TC HI)
- replace front hub bearing grease

There will also be a charge for additional services as required.

.....

.....

.....

Signature .....Date.....

Note If the owner of this vehicle has changed since the last service, refer to the change forms at the front of this booklet.

Under bonnet

- ❑ Replace engine oil & filter.
- ❑ Inspect oil leakage & contamination.
- ❑ Inspect fluid levels: brake, power steering, clutch, automatic transmission and washer. Check coolant % with tester and check level (pressure test if level low).
- ❑ Inspect idle speed & acceleration.
- ❑ Inspect all hoses & pipes in engine compartment for deterioration or leaks.
- ❑ Inspect front of radiator core & A/C condenser (clean as required).
- ❑ Replace fuel filter (4JJ1-TC HI).
- ❑ Inspect air filter element.
- ❑ Inspect accessory drive belt/s condition.

Service validation
180,000 kms or
6 months
Since last service
(which ever occurs first)

This vehicle has been thoroughly checked in accordance with the 180,000 km/6 month service.
Servicing Dealer ..... Additional services performed
Brake fluid changed: YES/NO Coolant changed: YES/NO .....
Clutch fluid changed: YES/NO/ N/A (not applicable) .....
Date of service..... Odometer.....
Signed .....

Under vehicle

- ❑ Inspect manual transmission oil level.
- ❑ Inspect transfer case oil level.
- ❑ Inspect shift on the fly system oil level.
- ❑ Inspect universal joints & splines for wear.
- ❑ Lubricate universal joints & sliding sleeve.
- ❑ Inspect differential oil level.
- ❑ Inspect exhaust system
- ❑ Inspect brake pads / discs & linings / drum wear.
- ❑ Inspect rear brake adjustment.
- ❑ Tighten wheel nuts.
- ❑ Replace front hub bearing grease.
- ❑ Inspect front & rear hub bearings for looseness.
- ❑ Inspect front axle shaft rubber boots for damage.
- ❑ Inspect axle housings - visual inspection for distortion or damage.
- ❑ Inspect tyres for wear or damage. (1) Rotate & balance wheels (if required). Check air pressures & for wheel damage.
- ❑ General under body check: steering & suspension* components (inc. shock absorbers, all rubber bushes & boots, ball joints, connections, leaf springs, coil springs, torsion bar, stabiliser bars, park brake cables, fuel system, exhaust system, brake system, bolts, nuts, hoses, pipes & check for leaks.

Vehicle interior

- ❑ Inspect clutch pedal travel & free play.
- ❑ Inspect brake pedal travel & free play.
- ❑ Inspect steering wheel free play.
- ❑ Inspect operation of wipers, switches & controls.
- ❑ Inspect park brake operation & adjust as required.
- ❑ Inspect seat belts, check webbing condition, buckle operation & retractor mechanism operation.

LPG* service items

- ❑ High pressure leak check of all service line connections.
- ❑ High pressure leak check of filler hose and valve.
- ❑ High pressure leak check of LPG cylinder connections.
- ❑ Check fuel selector operation.
- ❑ Replace LPG vapour filter and O'rings.

Vehicle exterior

- ❑ Inspect operation of all exterior lights.
- ❑ Inspect transmitter range of remote control.
- ❑ Lubricate bonnet catch, hinges & all lock cylinders.

Road Test

- ❑ Inspect braking, steering, engine response & transmission operation.
- ❑ Inspect operation of cruise control.
- ❑ Inspect park pawl operation.
- ❑ Inspect air conditioner performance.
- ❑ Inspect neutral start switch.
- ❑ Check for any outstanding safety recalls.

SERVICE COUPON 190,000 km or 6 months

from the last service (whichever occurs first)

I authorise performance of the services specified on this coupon. I understand that I will be charged for the time, parts and lubricants as listed.

- 1.2 hours labour
- add 0.4 hour for LPG*
- engine oil and filter change

There will also be a charge for additional services as required.

.....

.....

.....

Signature .....Date.....

Note If the owner of this vehicle has changed since the last service, refer to the change forms at the front of this booklet.

Under bonnet

- ❑ Replace engine oil & filter.
- ❑ Inspect oil leakage & contamination.
- ❑ Inspect fluid levels: brake, power steering, clutch, automatic transmission and washer. Check coolant % with tester and check level (pressure test if level low).
- ❑ Inspect idle speed & acceleration.
- ❑ Inspect all hoses & pipes in engine compartment for deterioration or leaks.
- ❑ Inspect air filter element.
- ❑ Inspect accessory drive belt/s condition.

Service validation
190,000 kms or
6 months
Since last service
(which ever occurs first)

This vehicle has been thoroughly checked in accordance with the 190,000 km/6 month service.
Servicing Dealer ..... Additional services performed
Brake fluid changed: YES/NO Coolant changed: YES/NO .....
Clutch fluid changed: YES/NO/ N/A (not applicable) .....
Date of service..... Odometer.....
Signed .....

Under vehicle

- ❑ Inspect manual transmission oil level.
- ❑ Inspect transfer case oil level.
- ❑ Inspect shift on the fly system oil level.
- ❑ Lubricate universal joints & sliding sleeve.
- ❑ Inspect differential oil level.
- ❑ Inspect exhaust system
- ❑ Inspect brake pads / discs & linings / drum wear.
- ❑ Inspect rear brake adjustment.
- ❑ Tighten wheel nuts.
- ❑ Inspect front & rear hub bearings for looseness.
- ❑ Inspect tyres for wear or damage. (1) Rotate & balance wheels (if required). Check air pressures & for wheel damage.
- ❑ General under body check: steering & suspension* components (inc. shock absorbers, all rubber bushes & boots, ball joints, connections, leaf springs, coil springs, torsion bar, stabiliser bars, park brake cables, fuel system, exhaust system, brake system, bolts, nuts, hoses, pipes & check for leaks.

Vehicle interior

- ❑ Inspect clutch pedal travel & free play.
- ❑ Inspect brake pedal travel & free play.
- ❑ Inspect steering wheel free play.
- ❑ Inspect operation of wipers, switches & controls.
- ❑ Inspect park brake operation & adjust as required.
- ❑ Inspect seat belts, check webbing condition, buckle operation & retractor mechanism operation.

LPG* service items

- ❑ High pressure leak check of converter and lock-off.
- ❑ High pressure leak check of all service line connections.
- ❑ High pressure leak check of filler hose and valve.
- ❑ High pressure leak check of LPG cylinder connections.
- ❑ Check fuel selector operation.

Vehicle exterior

- ❑ Inspect operation of all exterior lights.
- ❑ Inspect transmitter range of remote control.
- ❑ Lubricate bonnet catch, hinges & all lock cylinders.

Road Test

- ❑ Inspect braking, steering, engine response & transmission operation.
- ❑ Inspect operation of cruise control.
- ❑ Inspect park pawl operation.
- ❑ Inspect air conditioner performance.
- ❑ Inspect neutral start switch.
- ❑ Check for any outstanding safety recalls.

SERVICE COUPON 200,000 km or 6 months

from the last service (whichever occurs first)

I authorise performance of the services specified on this coupon. I understand that I will be charged for the time, parts and lubricants as listed.

- 2.8 hours labour (4JJ1-TC HI)
- 2.2 hours labour (HFV6)
- add 1.5 hours for LPG*
- if 4WD add 0.2 hours
- engine oil and filter change
- replace fuel filter (HFV6 & 4JJ1-TC HI)
- replace air filter element
- replace accessory drive belt
- replace power steering fluid
- replace automatic transmission fluid (HFV6)
- replace manual transmission oil
- replace differential gear oil
- if engine coolant changed add 0.4 hour plus coolant
- if brake fluid changed add 0.4 hour plus brake fluid
- if clutch fluid changed add 0.2 hour plus clutch fluid

There will also be a charge for additional services as required.

.....

.....

.....

Signature .....Date.....

Note If the owner of this vehicle has changed since the last service, refer to the change forms at the front of this booklet.

Under bonnet

- ❑ Replace engine oil & filter.
- ❑ Inspect oil leakage & contamination.
- ❑ Inspect fluid levels: brake, power steering, clutch, automatic transmission and washer. Check coolant % with tester and check level (pressure test if level low).
- ❑ Inspect idle speed & acceleration.
- ❑ Inspect all hoses & pipes in engine compartment for deterioration or leaks.
- ❑ Inspect front of radiator core & A/C condenser (clean as required).
- ❑ Replace fuel filter (HFV6 & 4JJ1-TC HI).
- ❑ Replace air filter element.
- ❑ Inspect accessory drive belt/s condition.
- ❑ Replace accessory drive belt (HFV6).
- ❑ Adjust valve clearances (4JJ1-TC HI).
- ❑ Replace power steering fluid.

Service items continued next page.

Service validation
200,000 kms or
6 months
Since last service
(which ever occurs first)

This vehicle has been thoroughly checked in accordance with the 200,000 km/6 month service.
Servicing Dealer ..... Additional services performed
Brake fluid changed: YES/NO Coolant changed: YES/NO .....
Clutch fluid changed: YES/NO/ N/A (not applicable) .....
Date of service..... Odometer.....
Signed .....

Under bonnet cont...

- ❑ Replace automatic transmission fluid (HFV6).
- ❑ Coolant: Change every 5 years (regardless of km).
- ❑ Clutch fluid: Change every 2 years (regardless of km).
- ❑ Brake fluid: Change every 2 years (regardless of km).
- ❑ LPG tank: Inspect and pressure test every 10 years (regardless of km).

Under vehicle

- ❑ Replace manual transmission oil.
- ❑ Inspect transfer case oil level.
- ❑ Inspect shift on the fly system oil level.
- ❑ Inspect universal joints & splines for wear.
- ❑ Lubricate universal joints & sliding sleeve.
- ❑ Replace differential oil.
- ❑ Inspect exhaust system
- ❑ Inspect brake pads / discs & linings / drum wear.
- ❑ Inspect rear brake adjustment.
- ❑ Tighten wheel nuts.
- ❑ Inspect front & rear hub bearings for looseness.
- ❑ Inspect front axle shaft rubber boots for damage.
- ❑ Inspect axle housings/shafts - visual inspection for distortion or damage.
- ❑ Inspect tyres for wear or damage. (1) Rotate & balance wheels (if required). Check air pressures & for wheel damage.
- ❑ General under body check: steering & suspension* components (inc. shock absorbers, all rubber bushes & boots, ball joints, connections, leaf springs, coil springs, torsion bar, stabiliser bars, park brake cables, fuel system, exhaust system, brake system, bolts, nuts, hoses, pipes & check for leaks.

Vehicle interior

- ❑ Inspect clutch pedal travel & free play.
- ❑ Inspect brake pedal travel & free play.
- ❑ Inspect steering wheel free play.
- ❑ Inspect operation of wipers, switches & controls.
- ❑ Inspect park brake operation & adjust as required.
- ❑ Inspect seat belts, check webbing condition, buckle operation & retractor mechanism operation.

LPG* service items

- ❑ High pressure leak check of converter and lock-off.
- ❑ High pressure leak check of all service line connections.
- ❑ High pressure leak check of filler hose and valve.
- ❑ High pressure leak check of LPG cylinder connections.
- ❑ Check fuel selector operation.
- ❑ Overhaul convertor.

Vehicle exterior

- ❑ Inspect operation of all exterior lights.
- ❑ Inspect transmitter range of remote control.
- ❑ Lubricate bonnet catch, hinges & all lock cylinders.

Road Test

- ❑ Inspect braking, steering, engine response & transmission operation.
- ❑ Inspect operation of cruise control.
- ❑ Inspect park pawl operation.
- ❑ Inspect air conditioner performance.
- ❑ Inspect neutral start switch.
- ❑ Check for any outstanding safety recalls.

SERVICE COUPON 210,000 km or 6 months

from the last service (whichever occurs first)

I authorise performance of the services specified on this coupon. I understand that I will be charged for the time, parts and lubricants as listed.

- 2.1 hours labour (4JJ1-TC HI & HFV6)
- add 0.8 hour for LPG*
- if 4WD add 0.4 hours
- engine oil and filter change
- replace front hub bearing grease

There will also be a charge for additional services as required.

.....

.....

.....

Signature .....Date.....

Note If the owner of this vehicle has changed since the last service, refer to the change forms at the front of this booklet.

Under bonnet

- ❑ Replace engine oil & filter.
- ❑ Inspect oil leakage & contamination.
- ❑ Inspect fluid levels: brake, power steering, clutch, automatic transmission and washer. Check coolant % with tester and check level (pressure test if level low).
- ❑ Inspect idle speed & acceleration.
- ❑ Inspect all hoses & pipes in engine compartment for deterioration or leaks.
- ❑ Inspect air filter element.
- ❑ Inspect accessory drive belt/s condition.

Service validation
210,000 kms or
6 months
Since last service
(which ever occurs first)

This vehicle has been thoroughly checked in accordance with the 210,000 km/6 month service.
Servicing Dealer ..... Additional services performed
Brake fluid changed: YES/NO Coolant changed: YES/NO .....
Clutch fluid changed: YES/NO/ N/A (not applicable) .....
Date of service..... Odometer.....
Signed .....

Under vehicle

- ❑ Inspect manual transmission oil level.
- ❑ Inspect transfer case oil level.
- ❑ Inspect shift on the fly system oil level.
- ❑ Lubricate universal joints & sliding sleeve.
- ❑ Inspect differential oil level.
- ❑ Inspect exhaust system
- ❑ Inspect brake pads / discs & linings / drum wear.
- ❑ Inspect rear brake adjustment.
- ❑ Tighten wheel nuts.
- ❑ Replace front hub bearing grease.
- ❑ Inspect front & rear hub bearings for looseness.
- ❑ Inspect tyres for wear or damage. (1) Rotate & balance wheels (if required). Check air pressures & for wheel damage.
- ❑ General under body check: steering & suspension* components (inc. shock absorbers, all rubber bushes & boots, ball joints, connections, leaf springs, coil springs, torsion bar, stabiliser bars, park brake cables, fuel system, exhaust system, brake system, bolts, nuts, hoses, pipes & check for leaks.

Vehicle interior

- ❑ Inspect clutch pedal travel & free play.
- ❑ Inspect brake pedal travel & free play.
- ❑ Inspect steering wheel free play.
- ❑ Inspect operation of wipers, switches & controls.
- ❑ Inspect park brake operation & adjust as required.
- ❑ Inspect seat belts, check webbing condition, buckle operation & retractor mechanism operation.

LPG* service items

- ❑ High pressure leak check of all service line connections.
- ❑ High pressure leak check of filler hose and valve.
- ❑ High pressure leak check of LPG cylinder connections.
- ❑ Check fuel selector operation.
- ❑ Replace LPG vapour filter and O'rings.

Vehicle exterior

- ❑ Inspect operation of all exterior lights.
- ❑ Inspect transmitter range of remote control.
- ❑ Lubricate bonnet catch, hinges & all lock cylinders.

Road Test

- ❑ Inspect braking, steering, engine response & transmission operation.
- ❑ Inspect operation of cruise control.
- ❑ Inspect park pawl operation.
- ❑ Inspect air conditioner performance.
- ❑ Inspect neutral start switch.
- ❑ Check for any outstanding safety recalls.